CONDUCTIVE POLYMER HYBRID ALUMINUM ELECTROLYTIC CAPACITORS michicon







- •Long life of 4000 hours at 135°C.
- Compliant to the RoHS directive (2011/65/EU,(EU)2015/863).
- AEC-Q200 Qualified. Please contact us for details.







■Specifications

Item	Performance Characteristics									
Category Temperature Range	-55 to +135°C									
Rated Voltage Range	25 to 63V									
Rated Capacitance Range	33 to 470μF									
Capacitance Tolerance	±20% at 120Hz, 20°C									
Tangent of loss angle (tan δ)	Rated voltage (V) 25 35 50 63 120Hz 20°C tan δ (max.) 0.14 0.12 0.10 0.08									
ESR	Less than or equal to the specified value at 100kHz, 20°C	ess than or equal to the specified value at 100kHz, 20°C								
Leakage Current *	After 2 minutes' application of rated voltage at 20°C, leakage cur	rrent is not more than (D.01CV(μA).							
Temperature Characteristics (Max.Impedance Ratio)	$Z(-25^{\circ}C) / Z(+20^{\circ}C) \le 2$ (100kHz) $Z(-55^{\circ}C) / Z(+20^{\circ}C) \le 2.5$									
Endurance	The specifications listed at right shall be met when the capacitors are restored to 20°C after D.C. bias plus rated ripple current is applied for 4000 hours at 125°C or 135°C, the peak voltage shall not exceed the rated voltage.	Capacitance change tan δ ESR Leakage current	Within ± 30% of initial capacitance value 200% or less of the initial specified value 200% or less of the initial specified value Less than or equal to the initial specified value							
Shelf Life	After storing the capacitors under no load at 135°C for 1000 hours and then performing voltage treatment based on JIS C 5101-4 clause 4.1 at 20°C, they shall meet the specified values for the endurance characteristics listed above.									
Damp Heat (Steady State)	The specifications listed at right shall be met when the capacitors are restored to 20°C after the rated voltage is applied for 2000 hours at 85°C, 85% RH.	Capacitance change tan δ Leakage current	Within±30% of the initial capacitance value 200% or less of the initial specified value Less than or equal to the initial specified value							
Resistance to Soldering Heat	The capacitors are kept on a hot plate for 30 seconds, which is maintained at 250°C. The capacitors shall meet the characteristic requirements listed at right when they are removed from the plate and restored to 20°C.	Capacitance change tan δ Leakage current	Within±10% of the initial capacitance value Less than or equal to the initial specified value Less than or equal to the initial specified value							
Marking	Black print on the case top.									


 $\%~\mathrm{I}$: Leakage Current (µA), C : Rated Capacitance (µF), V : Rated Voltage (V)

Dimensions





Type numbering system (Example: 35V 100µF)



Voltage Standard					(mm) Vibration Resistance (mm)						e (mm)		
V	25	35	50	63	4DxL	8×10	10×10	10×12.5		φDxL	8×10	10 × 10	10 × 12.5
Code	Е	٧	Н	J	Α	9.0	11.0	11.0		Α	9.0	11.0	11.0
					В	8.3	10.3	10.3		В	8.3	10.3	10.3
					С	8.3	10.3	10.3		С	8.3	10.3	10.3
					Е	3.1	4.5	4.5		Е	3.1	4.5	4.5
					L	10.3	10.3	12.5		L	10.5	10.5	12.8
					Н	0.8 to 1.1	0.8 to 1.1	0.8 to 1.1		Н	1.1 to 1.5	1.1 to 1.5	1.1 to 1.5

• Frequency coefficient of rated ripple current

Frequency	120Hz	1kHz	10kHz	100kHz or more
Coefficient	0.15	0.40	0.75	1.00

CONDUCTIVE POLYMER HYBRID ALUMINUM ELECTROLYTIC CAPACITORS michicon





Dimensions

Rated Voltage (V)	Rated Capacitance	Case Size	tan δ	Leakage Current (µA) (at 20°C after 2 minutes)	ESR(mΩ)max. (20°C/100kHz)	Rated Ripple (mArms)		Part Number
(code)	(µF)	φυλε(ππ)			(20 C/100KH2)	125℃/ 100kHz	135℃/ 100kHz	
	150	8×10	0.14	37.5	18	4000	2800	GXC1E151MC□1GS
	220	8×10	0.14	55.0	18	4000	2800	GXC1E221MC□1GS
25 (1E)	270	10×10	0.14	67.5	16	4500	3300	GXC1E271MC□1GS
() _ /	330	10×10	0.14	82.5	16	4500	3300	GXC1E331MC□1GS
	470	10×12.5	0.14	117.5	14	5200	3600	GXC1E471MC□1GS
	100	8×10	0.12	35.0	18	4000	2800	GXC1V101MC□1GS
	150	8×10	0.12	52.5	18	4000	2800	GXC1V151MC□1GS
35 (1V)	220	10×10	0.12	77.0	16	4500	3300	GXC1V221MC□1GS
	270	10×10	0.12	94.5	16	4500	3300	GXC1V271MC□1GS
	330	10×12.5	0.12	115.5	15	5000	3500	GXC1V331MC□1GS
	47	8×10	0.10	23.5	24	3600	2500	GXC1H470MC□1GS
	68	8×10	0.10	34.0	24	3600	2500	GXC1H680MC□1GS
50 (1H)	100	10×10	0.10	50.0	20	4300	3000	GXC1H101MC□1GS
	120	10×10	0.10	60.0	20	4300	3000	GXC1H121MC□1GS
	150	10×12.5	0.10	75.0	17	4600	3300	GXC1H151MC□1GS
	33	8×10	0.08	20.8	27	3300	2300	GXC1J330MC□1GS
63 (1J)	47	8×10	0.08	29.6	27	3300	2300	GXC1J470MC□1GS
	56	10×10	0.08	35.3	22	4000	2800	GXC1J560MC□1GS
	68	10×10	0.08	42.8	22	4000	2800	GXC1J680MC□1GS
	82	10×10	0.08	51.7	22	4000	2800	GXC1J820MC□1GS
	100	10×12.5	0.08	63.0	17	4600	3300	GXC1J101MC□1GS

 $[\]square$: Enter the appropriate configuration code.

[•] For taping specifications, recommended land size/soldering by reflow and minimum order quantity, please refer to the Guidelines for Aluminum Electrolytic Capacitors.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Nichicon:

```
GXC1E471MCQ1GS GXC1J680MCQ1GS GXC1H121MCQ1GS GXC1E331MCW1GS GXC1J330MCQ1GS
GXC1E471MCW1GS GXC1J470MCQ1GS GXC1H680MCW1GS GXC1J101MCW1GS GXC1H151MCW1GS
GXC1V101MCW1GS GXC1E151MCW1GS GXC1E221MCW1GS GXC1J560MCQ1GS GXC1V151MCW1GS
GXC1V221MCW1GS GXC1H121MCW1GS GXC1V331MCQ1GS GXC1E221MCQ1GS GXC1J101MCQ1GS
GXC1J560MCW1GS GXC1V271MCQ1GS GXC1E331MCQ1GS GXC1J330MCW1GS GXC1J470MCW1GS
GXC1E271MCW1GS GXC1V271MCW1GS GXC1V331MCW1GS GXC1H101MCQ1GS GXC1H470MCW1GS
GXC1J820MCQ1GS GXC1V271MCQ1GS GXC1H101MCW1GS GXC1H101MCQ1GS GXC1H470MCW1GS
GXC1J820MCQ1GS GXC1H151MCQ1GS GXC1H101MCW1GS GXC1H680MCQ1GS GXC1H470MCW1GS
GXC1V151MCQ1GS GXC1E271MCQ1GS GXC1J680MCW1GS GXC1V221MCQ1GS GXC1J820MCW1GS
GXC1E151MCQ1GS GXC1V101MCQ1GS
```