Data Sheet

ASMT-Bx20

PCB-Based Subminiature Lamps (PCB PolyLED)

Description

The Broadcom® ASMT-Bx20 is an environmentally friendly green product of unique PCB-based subminiature lamps, namely PCB PolyLED. These PolyLEDs come in an untinted, nondiffused package to cater to various product themes and ease handling applications.

The small size, narrow footprint, and high brightness make these LEDs excellent for backlighting, status indication, and panel illumination applications.

The available colors are AlInGaP red, AlInGaP green, InGaN blue, and AlInGaP amber.

To facilitate pick-and-place operation, these PCB PolyLEDs are shipped in tape and reel, with 1500 units per reel. The package is compatible with reflow soldering and are binned by both color and intensity.

Features

- Small footprint
- Available in four colors
- Low power consumption
- Nondiffused dome for high brightness
- Supreme product quality and reliability
- Operating temperature range of –40°C to +85°C
- Package in 8-mm tape on 7-in. diameter reels
- Compatible with automated placement equipment
- Compatible with infrared and vapor phase reflow soldering processes

Applications

- Panel indicators
- LCD backlighting
- Symbol backlighting
- Pushbutton backlighting
- Indoor mono/full color signs

Package Dimensions



NOTE:

1. All dimensions are in millimeters.
2. The tolerance is ± 0.1 mm unless otherwise specified.

Device Selection Guide

Part Number	Die Technology	Color	Package Description
ASMT-BA20	AlInGaP	Amber	Untinted, nondiffused
ASMT-BG20	AlInGaP	Green	Untinted, nondiffused
ASMT-BR20	AlInGaP	Red	Untinted, nondiffused
ASMT-BB20	InGaN	Blue	Untinted, nondiffused

Part Numbering System

A S M T - B x_1 2 0 - x_2 x_3 x_4 x_5 0

Number	Field	Option	Description
x_1	Color	A	Amber
		G	Green
		R	Red
		B	Blue
x_2	Die Technology	A	AlInGaP
		N	InGaN
x_3	Min. I_V Bin Options	See the Light Intensity (IV) Bin Limits table.	
x_4	Max. I_V Bin Options		
x_5	Color Bin Selection	See the Color Bin Limits tables.	

Absolute Maximum Ratings at T_A = 25°C

Parameter	AlInGaP	InGaN	Units
DC Forward Current[a]	30	20	mA
Reverse Voltage (I_R = 100 mA)	5	5	V
LED Junction Temperature	95	95	°C
Operating Temperature Range	–40 to +85		°C
Storage Temperature Range	–40 to +85		°C
Soldering Temperature (Pb-Free)	260°C for 10 seconds		°C

a. Derate linearly as shown in Figure 5.

Electrical Characteristics at T_A = 25°C

	Forward Voltage V_F (V)[a] at I_F = 20 mA		Reverse Breakdown V_R (V) at I_R = 100 µA	Thermal Resistance $R\theta_{J\text{-}PIN}$ (°C/W)
Part Number	**Typ.**	**Max.**	**Min.**	**Typ.**
AlInGaP Amber	2.0	2.4	5	450
AlInGaP Green	2.0	2.4	5	450
AlInGaP Red	2.0	2.4	5	450
InGaN Blue	3.2	3.8	5	450

a. V_F tolerance is ± 0.1V.

Optical Characteristics at T_A = 25°C

	Luminous Intensity I_V[a] (mcd) at 20 mA	Peak Wavelength λ_{peak} (nm)	Dominant Wavelength λ_d[b] (nm)	Viewing Angle $2\theta_{1/2}$[c] (Degrees)
Part Number	**Typ.**	**Typ.**	**Typ.**	**Typ.**
AlInGaP Amber	750	592	590	15
AlInGaP Green	650	565	569	15
AlInGaP Red	650	635	626	15
InGaN Blue	650	470	468	15

a. The luminous intensity, I_V, is measured at the peak of the spatial radiation pattern, which may not be aligned with the mechanical axis of the LED package.

b. The dominant wavelength, λ_d, is derived from the CIE Chromaticity Diagram and represents the perceived color of the device.

c. $\theta_{1/2}$ is the off-axis angle where the luminous intensity is ½ the peak intensity.

Light Intensity (I_V) Bin Limits[1]

Bin ID	Intensity (mcd)	
	Min.	Max.
P	45.00	71.50
Q	71.50	112.50
R	112.50	180.00
S	180.00	285.00
T	285.00	450.00
U	450.00	715.00
V	715.00	1125.00
W	1125.00	1800.00
X	1800.00	2850.00
Y	2850.00	4500.00

Tolerance: ± 15%.

Color Bin Limits[1]

Amber Color Bins[1]

Bin ID	Dominant Wavelength (nm)	
	Min.	Max.
1	582.0	584.5
2	584.5	587.0
3	587.0	589.5
4	589.5	592.0
5	592.0	594.5
6	594.5	597.0

Tolerance: ± 1 nm.

Green Color Bins[1]

Bin ID	Dominant Wavelength (nm)	
	Min.	Max.
1	561.5	564.5
2	564.5	567.5
3	567.5	570.5
4	570.5	573.5
5	573.5	576.5

Tolerance: ± 1 nm.

Red Color Bins[1]

Bin ID	Dominant Wavelength (nm)	
	Min.	Max.
—	620.0	635.0

Tolerance: ±1 nm.

Blue Color Bins[1]

Bin ID	Dominant Wavelength (nm)	
	Min.	Max.
1	460.0	465.0
2	465.0	470.0
3	470.0	475.0
4	475.0	480.0

Tolerance: ± 1 nm.

1. Bin categories are established for classification of products. Products may not be available in all categories. Contact your Broadcom representative for information on current available bins.

Figure 1: Recommended Soldering Land Pattern



NOTE:

1. All dimensions are in millimeters (inches).
2. The tolerance is ± 0.1 mm (± 0.004 in.) unless otherwise specified.

Figure 2: Relative Intensity vs. Wavelength



Figure 3: Forward Current vs. Forward Voltage



Figure 4: Relative Luminous Intensity vs. DC Forward Current



Figure 5: Maximum Forward Current vs. Ambient Temperature (For AlInGap and InGaN Derating Based on T_{JMAX} = 95°C)



Figure 6: Radiation Pattern



Figure 7: Recommended Reflow Soldering Profile



Figure 8: Recommended Pb-Free Reflow Soldering Profile



Figure 9: Reeling Orientation



Figure 10: Reel Dimensions



NOTE: All dimensions are in millimeters (inches).

Figure 11: Tape Dimensions



NOTE: All dimensions are in millimeters (inches).

Disclaimer

Broadcom's products and software are not specifically designed, manufactured, or authorized for sale as parts, components, or assemblies for the planning, construction, maintenance, or direct operation of a nuclear facility or for use in medical devices or applications. The customer is solely responsible, and waives all rights to make claims against Broadcom or its suppliers, for all loss, damage, expense, or liability in connection with such use.

BROADCOM®

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Broadcom Limited:

ASMT-BR20-AS000 ASMT-BG20-AS000 ASMT-BA20-AS000 ASMT-BB20-NS000