

# **Cree® 5mm Round LED C543A-WMN**



#### **PRODUCT DESCRIPTION**

Round LEDs offer superior light output for excellent readability in sunlight and dependable performance. It provides extremely stable light output over long periods of time.

These lamps are made with an advanced optical grade epoxy offering superior high temperature and high moisture resistance performance in lighting and illumination applications.

#### **FEATURES**

- Size (mm): 5
- Color Temperatures:
  Cool White:
  Min. (4600K) / Typical (9000K)
- Luminous Flux (mlm): (15000 - 37500)
- Viewing angle:20 degree
- Lead-Free
- RoHS Compliant

#### **APPLICATIONS**

- Garden Light
- Channel Letter
- Retail Display Lighting



## ABSOLUTE MAXIMUM RATINGS $(T_A = 25^{\circ}C)$

Items	Symbol	Absolute Maximum Rating	Unit	
Forward Current	$I_{_{\rm F}}$	25	mA	
Peak Forward Current Note	$I_{\sf FP}$	100	mA	
Reverse Voltage	$V_R$	5	V	
Power Dissipation	$P_{_{D}}$	100	mW	
Operation Temperature	$T_{opr}$	-40 ~ +95	°C	
Storage Temperature	$T_{stg}$	-40 ~ +100	°C	
Lead Soldering Temperature	$T_{sol}$	Max. 260°C for 3 sec. max. (3 mm from the base of the epoxy bulb)		

**Note:** Pulse width  $\leq 0.1$  msec, duty  $\leq 1/10$ .

## TYPICAL ELECTRICAL & OPTICAL CHARACTERISTICS $(T_A = 25^{\circ}C)$

Characteristics	Symbol	Condition	Unit	Minimum	Typical	Maximum
Forward Voltage	$V_{\scriptscriptstyle F}$	$I_F = 20 \text{ mA}$	V		3.2	4.0
Reverse Current	$I_R$	$V_R = 5 V$	μΑ			100
Luminous Intensity	$I_{V}$	$I_F = 20 \text{ mA}$	mcd	15000	22000	
Chromaticity	X	$I_F = 20 \text{ mA}$			0.2895	
Coordinates	У	$I_F = 20 \text{ mA}$			0.2905	
50% Power Angle	201/2	$I_F = 20 \text{ mA}$	deg		20	

**Note:** Continuous reverse voltage can cause LED damage.



## INTENSITY BIN LIMIT ( $I_F = 20 \text{ mA}$ )

#### Cool White

Bin Code	Min.(mcd)	Max.(mcd)
CC	15000	17500
DD	17500	20000
EE	20000	23500
FF	23500	27000
GG	27000	30500
НН	30500	34000
KK	34000	37500

 $\bullet$  Tolerance of measurement of luminous intensity is  $\pm 15\%$ 



## COLOR BIN LIMIT ( $I_F = 20 \text{ mA}$ )

Bin Code	Sub- bin	x	у
		0.2449	0.2288
		0.2497	0.2384
	Wa1	0.2543	0.2356
		0.2497	0.2267
		0.2497	0.2267
	W <sub>2</sub> 2	0.2543	0.2356
	Wa2	0.2589	0.2328
		0.2545	0.2245
		0.2497	0.2384
	W-2	0.2545	0.2480
	Wa3	0.2589	0.2445
		0.2543	0.2356
		0.2543	0.2356
	VA/= 4	0.2589	0.2445
	W1 Wb1	0.2633	0.2410
14/4		0.2589	0.2328
VV I		0.2545	0.2245
		0.2589	0.2328
		0.2635	0.2299
		0.2593	0.2223
		0.2593	0.2223
	Wb2	0.2635	0.2299
	WDZ	0.2680	0.2270
		0.2640	0.2200
		0.2589	0.2328
	Wb3	0.2633	0.2410
	WDS	0.2677	0.2375
		0.2635	0.2299
		0.2635	0.2299
	Wb4	0.2677	0.2375
	WD4	0.2720	0.2340
		0.2680	0.2270

Bin	Sub-		
Code	bin	x	У
		0.2545	0.2480
	Wc1	0.2593	0.2575
	VVCI	0.2635	0.2534
		0.2589	0.2445
		0.2589	0.2445
	W-2	0.2635	0.2534
	Wc2	0.2677	0.2493
		0.2633	0.2410
		0.2593	0.2575
	W-2	0.2640	0.2670
	Wc3	0.2680	0.2623
		0.2635	0.2534
		0.2635	0.2534
	Wc4	0.2680	0.2623
		0.2720	0.2575
14/1		0.2677	0.2493
W1		0.2633	0.2410
	147-14	0.2677	0.2493
	Wd1	0.2718	0.2451
		0.2677	0.2375
		0.2677	0.2375
	7472	0.2718	0.2451
	Wd2	0.2760	0.2410
		0.2720	0.2340
		0.2677	0.2493
	\\/-\J	0.2720	0.2575
	Wd3	0.2760	0.2528
		0.2718	0.2451
		0.2718	0.2451
	\\\ d	0.2760	0.2528
	Wd4	0.2800	0.2480
		0.2760	0.2410

Bin Code	Sub- bin	x	У
		0.2640	0.2670
	VA/1	0.2688	0.2765
	We1	0.2726	0.2711
		0.2680	0.2623
		0.2680	0.2623
	We2	0.2726	0.2711
	wez	0.2764	0.2658
		0.2720	0.2575
		0.2688	0.2765
	W- 2	0.2735	0.2860
	We3	0.2772	0.2800
		0.2726	0.2711
	We4	0.2726	0.2711
		0.2772	0.2800
		0.2808	0.2740
\\/\2		0.2764	0.2658
W2		0.2720	0.2575
	14154	0.2764	0.2658
	Wf1	0.2802	0.2604
		0.2760	0.2528
		0.2760	0.2528
	WED	0.2802	0.2604
	Wf2	0.2840	0.2550
		0.2800	0.2480
		0.2764	0.2658
	WED	0.2808	0.2740
	Wf3	0.2844	0.2680
		0.2802	0.2604
		0.2802	0.2604
	\A/C4	0.2844	0.2680
	Wf4	0.2880	0.2620
		0.2840	0.2550

• Tolerance of measurement of the color coordinates is  $\pm 0.01$ .



## COLOR BIN LIMIT ( $I_F = 20 \text{ mA}$ )

Bin Code	Sub- bin	x	у
Code	Dill	0.2735	0.2860
		0.2783	0.2955
	Wg1	0.2817	0.2889
		0.2772	0.2800
		0.2772	0.2800
		0.2817	0.2889
	Wg2	0.2852	0.2823
		0.2808	0.2740
		0.2783	0.2955
		0.2830	0.3050
	Wg3	0.2863	0.2978
		0.2817	0.2889
		0.2817	0.2889
	Wg4	0.2863	0.2978
		0.2895	0.2905
		0.2852	0.2823
W2		0.2808	0.2740
	Wh1	0.2852	0.2823
		0.2886	0.2756
		0.2844	0.2680
		0.2844	0.2680
		0.2886	0.2756
	Wh2	0.2920	0.2690
		0.2880	0.2620
		0.2852	0.2823
	\A/I- 2	0.2895	0.2905
	Wh3	0.2928	0.2833
		0.2886	0.2756
		0.2886	0.2756
	\A/I- 4	0.2928	0.2833
	Wh4	0.2960	0.2760
		0.2920	0.2690

Bin Code	Sub- bin	x	у
		0.2830	0.3050
	14/14	0.2890	0.3130
	Wj1	0.2918	0.3048
		0.2863	0.2978
		0.2863	0.2978
	Win	0.2918	0.3048
	Wj2	0.2947	0.2967
		0.2895	0.2905
		0.2890	0.3130
	Win	0.2950	0.3210
	Wj3	0.2974	0.3119
		0.2918	0.3048
		0.2918	0.3048
	\\/;/	0.2974	0.3119
	Wj4 W3	0.2998	0.3028
14/2		0.2947	0.2967
WS		0.2895	0.2905
	Wk1	0.2947	0.2967
	WKI	0.2975	0.2890
		0.2928	0.2833
		0.2928	0.2833
	Wk2	0.2975	0.2890
	VVKZ	0.3003	0.2813
		0.2960	0.2760
		0.2947	0.2967
	Wk3	0.2998	0.3028
	VVV	0.3022	0.2946
		0.2975	0.2890
		0.2975	0.2890
	Wk4	0.3022	0.2946
	WK4	0.3045	0.2865
		0.3003	0.2813

	i		
Bin Code	Sub- bin	х	У
		0.2950	0.3210
	\\/1	0.3010	0.3290
	Wm1	0.3030	0.3190
		0.2974	0.3119
		0.2974	0.3119
	Wm2	0.3030	0.3190
	VVIIIZ	0.3050	0.3090
		0.2998	0.3028
		0.3010	0.3290
	W/ 2	0.3070	0.3370
	Wm3	0.3085	0.3260
		0.3030	0.3190
	Wm4	0.3030	0.3190
		0.3085	0.3260
		0.3100	0.3150
W3		0.3050	0.3090
VV 3		0.2998	0.3028
	Wn1	0.3050	0.3090
		0.3070	0.3005
		0.3022	0.2946
		0.3022	0.2946
	Wn2	0.3070	0.3005
	VVIIZ	0.3090	0.2920
		0.3045	0.2865
		0.3050	0.3090
	Wn3	0.3100	0.3150
	WIIS	0.3115	0.3060
		0.3070	0.3005
		0.3070	0.3005
	Wn4	0.3115	0.3060
	Wn4	0.3130	0.2970
		0.3090	0.2920

• Tolerance of measurement of the color coordinates is  $\pm 0.01$ .



## COLOR BIN LIMIT ( $I_F = 20 \text{ mA}$ )


Bin	Sub-	x	у
Code	bin	0.3070	0.3370
		0.3070	0.3370
	Wp1		
		0.3140	0.3320
		0.3085	0.3260
		0.3085	0.3260
	Wp2	0.3140	0.3320
	WPZ	0.3150	0.3210
		0.3100	0.3150
		0.3130	0.3430
	Wp3	0.3190	0.3490
	·	0.3195	0.3380
		0.3140	0.3320
		0.3140	0.3320
	Wp4	0.3195	0.3380
		0.3200	0.3270
W4	Wq1	0.3150	0.3210
***		0.3100	0.3150
		0.3150	0.3210
		0.3163	0.3118
		0.3115	0.3060
		0.3115	0.3060
	W-2	0.3163	0.3118
	Wq2	0.3175	0.3025
		0.3130	0.2970
		0.3150	0.3210
	W-2	0.3200	0.3270
	Wq3	0.3208	0.3173
		0.3163	0.3118
		0.3163	0.3118
		0.3208	0.3173
	Wq4	0.3215	0.3075
		0.3175	0.3025

Bin Code	Sub- bin	x	у
		0.3190	0.3490
	VA/4	0.3245	0.3545
	Wr1	0.3248	0.3438
		0.3195	0.3380
		0.3195	0.3380
	W/~2	0.3248	0.3438
	Wr2	0.3250	0.3330
		0.3200	0.3270
		0.3245	0.3545
	\/\/w2	0.3300	0.3600
	Wr3	0.3300	0.3495
		0.3248	0.3438
		0.3248	0.3438
	Wr4	0.3300	0.3495
	VVI 4	0.3300	0.3390
W4		0.3250	0.3330
VV- <del>1</del>		0.3200	0.3270
	Ws1	0.3250	0.3330
	VV51	0.3255	0.3230
		0.3208	0.3173
		0.3208	0.3173
	Ws2	0.3255	0.3230
	WSZ	0.3260	0.3130
		0.3215	0.3075
		0.3250	0.3330
	Ws3	0.3300	0.3390
	***35	0.3300	0.3285
		0.3255	0.3230
		0.3255	0.3230
	Ws4	0.3300	0.3285
	****	0.3300	0.3180
		0.3260	0.3130

• Tolerance of measurement of the color coordinates is  $\pm 0.01$ .



#### **CIE CHROMATICITY DIAGRAM**





#### **ORDER CODE TABLE\***

Color Kit Number		Viewing Angle	Luminous Intensity (mcd)		
Color Kit Number	Viewing Angle	Min.	Max.	Color Bin Code	
Cool White	C543A-WMN-CCCKK141	20	15000	37500	W1,W2,W3,W4

#### Notes:

- 1. The above kit numbers represent order codes that include multiple intensity-bin and color-bin codes. Only one intensity-bin code and one color-bin code will be shipped on each bulk. Single intensity-bin code and single color-bin codes will not be orderable.
- 2. Please refer to the "Cree LED Lamp Reliability Test Standards" document #1 for reliability test conditions.
- 3. Please refer to the "Cree LED Lamp Soldering & Handling" document \*2 for information about how to use this LED product safely.

<sup>#1:</sup> Refer to http://www.cree.com/led-components/media/documents/LED\_Lamp\_Reliability\_Test\_Standard.pdf

<sup>#2:</sup> Refer to http://www.cree.com/led-components/media/documents/sh-HB.pdf

#### **GRAPHS**





FIG.1 FORWARD CURRENT VS. FORWARD VOLTAGE.



-30

-20

-10

0

FORWARD CURRENT




FIG.3 RELATIVE LUMINOUS INTENSITY VS. FORWARD CURRENT




FIG.4 RELATIVE LUMINOUS INTENSITY VS.




FIG.5 MAXIMUM FORWARD DC CURRENT VS AMBIENT TEMPERATURE (Tjmax=105°C)




FIG.6 FAR FIELD PATTERN

The above data are collected from statistical figures that do not necessarily correspond to the actual parameters of each single LED. Hence, these data will be changed without further notice.




#### **MECHANICAL DIMENSIONS**

All dimensions are in mm. Tolerance is  $\pm 0.25$  mm unless otherwise noted.

An epoxy meniscus may extend about 1.5 mm down the leads.

Burr around bottom of epoxy may be 0.5 mm max.



#### **NOTES**

#### **RoHS Compliance**

The levels of environmentally sensitive, persistent biologically toxic (PBT), persistent organic pollutants (POP), or otherwise restricted materials in this product are below the maximum concentration values (also referred to as the threshold limits) permitted for such substances, or are used in an exempted application, in accordance with EU Directive 2002/95/EC on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS), as amended through April 21, 2006.

#### Vision Advisory Claim


Users should be cautioned not to stare at the light of this LED product. The bright light can damage the eye.



#### KIT NUMBER SYSTEM

All dimensions in mm.Cree LED lamps are tested and sorted into performance bins. A bin is specified by ranges of color, forward voltage, and brightness. Sorted LEDs are packaged for shipping in various convenient options. Please refer to the "Cree LED Lamp Packaging Standard" document for more information about shipping and packaging options.

Cree LEDs are sold by order codes in combinations of bins called kits. Order codes are configured in the following manner:






#### **REFLOW SOLDERING**

The LED soldering specification is shown below(suitable for both leaded solder & lead-free solder):

Manual Soldering		Solder Dipping	
Soldering iron	35 W max	Preheat	110 °C max
Temperature	300 °C max	Preheat time	60 seconds max
		Solder-bath temperature	260 °C Max
Soldering time	3 seconds max	Dipping time	5 seconds max
Position	Not less than 3 mm from the base of the package.	Position	Not less than 3 mm from the base of the package.

- Manual soldering onto the PCB is not recommended because soldering time is uncontrollable.
- The recommended wave soldering is as below:



- Do not apply any stress to the LED package, particularly when heated.
- Only bottom preheat is suggested & should not preheat on top in order to reduce thermal stress experienced by the LEDs.
- The LEDs must not be re used once they have been extracted from PCB.
- After soldering the LEDs, the package should be protected from mechanical shock or vibration until the LEDs have reached 40 °C or below.
- Precautions must be taken as mechanical stress on the LEDs may be caused by PCB warpage or from the clinching and cutting of the LED leads.
- When it is necessary to clam the LEDs during soldering, it is important to ensure no mechanical stress is exerted on the LEDs.
- Cut the LED lead at normal room temperature. Lead cutting at high temperature may cause failure of the LEDs.


Refer to "http://www.cree.com/led-components/media/documents/sh-HB.pdf" for soldering & handling details.



#### **PACKAGING**

#### **Features:**

- The LEDs are packed in cardboard boxes after packaging in normal or anti-electrostatic bags.
- Cardboard boxes will be used to protect the LEDs from mechanical shock during transportation.
- The boxes are not water-resistant, and they must be kept away from water and moisture.
- The Bluk Pack type of packaging.
- Max 500 pcs per tube.



## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Cree, Inc.:

C543A-WMN-CCCKK141