

## SOLUTIONS PRODUCTS DESIGN SUPPORT BUY & SAMPLE ABOUT CYPRESS

Q

Home > Products > Microcontroller (MCU) and Programmable System-on-Chip (PSoC®) Families > 32-bit Arm® Cortex® Microcontroller (MCU) Families > 32-bit Arm® Cortex®-M0 PSoC® 4 > PSoC® 4100 > CY8C4147AZS-S445T

# CY8C4147AZS-S445T 🔬 🐏

### Status: In Production

Product Specs	Pricing & Inventory	Packaging/Ordering	Quality and RoHS	Technical Documents
CY8C4147AZS-S445T			1	DESIGN SUPPORT
Development Kit	CY8CKIT-149			
Automotive Qualified Y				Development Kits
Max. Operating Temp. (°C)	105			Forums
Max. Operating Voltage (V)	5.50	5.50		Knowledge Base
Min. Operating Temp. (°C)	-40			Packaging
Min. Operating Voltage (V)	1.71			Product Brochures
Tape & Reel	Y			Quality & Reliability

PRICING & INVENTORY AVAILABILITY					
1-9 unit Price*	10-24 unit Price*	25-99 unit Price*	100-249 unit Price*	250-999 unit Price*	1000+ unit Price*
Contact Sales					

Availability	Quantity	Ships In	Buy from Cypress	Buy from Distributors
Out of Stock	0	Please click here to check lead times	Contact Sales	Contact Sales

\* Prices are shown in United States dollars and are for budgetary use only for volume of 1ku

PACKAGING/ORDERING	
Package	TQFP
No. of Pins	64
Package Dimensions	393 L x 1.4 H x 393 W (Mils)
Package Weight	338.95 (mgs)
Package Cross Section Drawing	Download
Package Carrier	REEL
Standard Pack Quantity	1500
Minimum Order Quantity (MOQ)	1500
Order Increment	1500
Estimated Lead Time (days)	91
HTS Code	8542.31.0001
ECCN Suball	3A991.A.2

QUALITY AND ROHS		
Moisture Sensitivity Level (MSL)	3	
Peak Reflow Temp. (°C)	260 (Cypress Reflow Profile)	
RoHS Compliant	Y Print RoHS Certificate of Compliance	
PB Free	Υ	
Lead/Ball Finish	Pure Sn	
Marking	Cypress Marking Format	
IPC 1752 Material Declaration IPC1752 MATERIAL DECLARATION TQFP64 (10X10 mm) (AZ64)_ASEK_Au WIRE_PURE Sn_HENKEL 8340_HITACHI CEL9200THF Last Update: Oct 30, 2019		
Device Qualification Reports		

FIT/MTBF, ESD (HBM/CDM) and Latch-up data available in the Device Qualification Report.

QTP#183101: AUTOMOTIVE PSOC 4: PSoC4100S PLUS DEVICE FAMILY S8SPF-10P TECHNOLOGY, FAB 25 (CU BEOL INTERCONNECT).pdf Last Update: Apr 15, 2019

#### TRAINING

Samples

Technical Support Technical Training

Third Party Network (CYPros)

Workshops Training On-Demand Webinars AN84858 - PSoC®4 Programming Using an External Microcontroller (HSSP) Jan 19, 2020 AN87391 - PSoC® 4 Segment LCD Direct Drive Aug 25, 2019 AN86439 - PSoC® 4 - Using GPIO Pins Aug 23, 2019 AN88619 - PSOC 4 HARDWARE DESIGN CONSIDERATIONS Jun 06, 2019 Show More ▼

#### SOLUTIONS

PRODUCTS

#### DESIGN SUPPORT

ABOUT US

Careers

Automotive

Industrial

Consumer

Wireless Microcontrollers (MCUs) Memory Universal Serial Bus (USB) Power Management Touch Sensing Clocks & Buffers Community Videos Quality & Reliability Product Roadmaps

#### **CORPORATE HEADQUARTERS**

Cypress Semiconductor Corp. 198 Champion Court San Jose, CA 95134 USA Tel: +1-408-943-2600

#### CUSTOMER SERVICE SUPPORT

+1-800-541-4736 Hours: 8:00AM - 5:00PM (local time) Create a MyCase Cypress Developer Community

#### INTERNATIONAL SUPPORT

+1-408-943-2600 United States +1-800-541-4736 Hours: 4:30AM - 1:30PM (pacific time) 7:30PM - 4:30AM (standard time)

#### **OTHER REQUESTS**

Contact Us Report a Website Problem Report a Security Vulnerability

ABOUT US CAREERS

RS INVESTORS

LEGAL



© Cypress Semiconductor Corporation. All rights reserved.

# **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Cypress Semiconductor: CY8C4147AZS-S445T