

3

2

1

GENERAL TOLERANCE			
10MAX	50MAX	100MAX	250MAX
±0.5	±0.8	±1.2	±1.8
			±2.6
			±5°
			0.15

注記





1. 相手嵌合品番

BATTERY TERMINAL BASE BARREL : 7106-2134-04 etc.  
 PROTECTOR BATT : 7184-5299-30

NOTE

1. MATING PARTS:

BATTERY TERMINAL BASE BARREL : 7106-2134-04 etc.  
 PROTECTOR BATT : 7184-5299-30



ISOMETRIC VIEW

LET	08.04.15	NEW	REVISION RECORD	NO.	C08-0A12	S. N	OFFICE	CUSTOMER PART NO.	CUSTOMER DWG NO.	MATL. SPEC.	P. P. COLOR: RED	TREAT. & F. IN.	ISSUE MARK																
	DATE	REVISION RECORD	NO.	CHKD			VENDOR	VENDOR NO.	TRIAL PART NO.	NAME	BATTERY TERMINAL COVER																		
GENERAL TOLERANCE																													
A	±0.15	±0.2	±0.3	±0.5	±0.75	±30'	ANGLE	2500VR	±0.75	±30'	O. 1	DWG TYPE	R	DWG SOURCE	NEW	CHECKED	DWG DATE	08.04.15	UNIT	mm	SCL	1:1	ANGLE	3	PART NO.	7034-7327-50			
B	±0.2	±0.3	±0.55	±0.95	±1.4	±30'	ANGLE	2500VR	±1.4	±30'	O. 1	APPROVED	T. SUZUKI	Y. SUZUKI	G. FUJII	S. NAKATSUGAWA	CHECKED	DESIGN	DRAWN	S. NAKATSUGAWA	S. NAKATSUGAWA	DWG NO.	7034-7327-50:R	CH. CODE	7034-7327-50	SET DRW NO.			
C	±0.3	±0.5	±0.8	±1.4	±2	±30'	ANGLE	2500VR	±2	±30'	O. 15	APPROVED	T. SUZUKI	Y. SUZUKI	G. FUJII	S. NAKATSUGAWA	CHECKED	DESIGN	DRAWN	S. NAKATSUGAWA	S. NAKATSUGAWA	DWG NO.	7034-7327-50:R	CH. CODE	7034-7327-50	SET DRW NO.			
SPECIFIED														SEE TABLE		MASS		APPROX. 14g											

3

2

1

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Yazaki:](#)

[7034732750](#)