

# SD/SDHC/SDXC Card

The Global Leader in Specialized Storage and Memory Solutions









#### **KEY FEATURES**

- SD Life Monitor
- Dynamic Data Refresh
- Power failure protection
- Industrial temperature
- 100% MP Level Test

ATP SD cards are the ideal storage format for industrial and automotive applications as they can be conveniently inserted into and easily removed from small host devices for convenient data transfer and storage expansion.

Made to perform dependably under rigorous conditions, ATP SD cards are designed with extensive longevity, which is typically required in industrial applications such as automation, networking, health care and more.

ATP SD cards also deliver the quality, durability and reliability to meet the requirements of major automotive OEM/Tier 1 suppliers, system developers and service providers for higher levels of data accuracy, consistency and integrity in applications such as maps/navigation systems, in-vehicle infotainment (IVI), Advanced Driver Assistance Systems (ADAS), and other data- intensive applications. These solutions can withstand extreme temperatures, dust and shock/vibration, and maintain data integrity under power cycling or sudden power-off events.

Now available in 3D triple-level cell (TLC) NAND flash with A1 Performance Class rating, ATP SD cards undergo endurance, data retention and wide temperature tests and are certified according to international, automotive-specific and temperature-related standards.



A: Customization option available on a project basis.

### **Specifications**

			SD/SD	HC/SDXC Card							
	Premium										
Product Line	S800Pi	S750	OPi	S750Pc	S700P	i 5700	Pc	S7	00Pi / Pc		
Interface	512 MB to 2 GB, HS mode 4 GB to 8 GB, UHS-I				UHS-	I					
Flash Type	SLC 3D TLC (pSLC mode) 2D MLC (pSLC mode)							C (pSLC mode)			
Form Factor	SD Card										
Operating Temperature	-40°C to	-25	-25°C to 85°C   -40°C to 85°C   -			85°C -40°C to 85°C / -25°C to 85°C					
Power Loss Protection Options				Firmwar	e Based						
Optional SED Features				-	-						
Capacity	512 MB to 8 GB	512 MB to 8 GB 1			8	8 GB to 32 GB		4 GB to 8 GB			
				Perfor							
Sequential Read (MB/s) up to	68	68		97		98		97			
Sequential Write (MB/s) up to	39	82			80			82			
	Endurance and Reliability										
Endurance (TBW) <sup>1</sup> up to	192 TB		12,670 TE	670 TB		582 TB		240 TB			
Reliability MTBF @ 25°C	>5,000,000 hours		>3,000,000 h			>3,000,000 hours			>2,000,000 hours		
Reliability Number of Insertions	20,000 (SDA spec minimum 10,000)										
	Others										
Dimensions (mm)	32.0 x 24.0 x 2.1										
Certifications	CE, FCC, UKCA, RoHS										
Warranty	5 years										
			SD/SDH	C/SDXC Card							
Product Line											
	S650Si S6	50Sc	S600Si	Se	500Sc	S600Sc	S60	OSi / Sc	S600Si / Sc		
Interface	UHS-I										
Flash Type		) TLC			MLC	MLC / 3D TLC		2D MLC			
Form Factor				SD Card							
Operating Temperature	-40°C to 85°C -25°C	to 85°C	-40°C to 8	5°C -25°C	to 85°C	-25°C to 85°C	-40	°C to 85°C	/ -25°C to 85°C		
Power Loss Protection Options				Firmwa	are Based						
Optional SED Features		-									
Capacity	64 GB to 512 GB		32 GB to 128 GB		3	8 GB to 16 GB	GB to 16 GB 8 GB to 256		8 GB to 16 GB		
		Performance									
Sequential Read (MB/s) up to	97	97		94		68	96		97		
Sequential Write (MB/s) up to	76			55		23		65	37		
				Endurance	and Reliabilit	:y					
Endurance (TBW)¹ up to	2,000 TB		77 TB			19 TB	30	07 TB	48 TB		
Reliability MTBF @ 25°C	>2,000,000 hours										
Reliability Number of Insertions	20,000 (SDA spec minimum 10,000)										
	Others										
Dimensions (mm)	32.0 x 24.0 x 2.1										
Certifications				CE, FCC, l	JKCA, RoHS						
Warranty	2 years										

<sup>1</sup> Under highest Sequential write value. May vary by density, configuration and applications.

Product spec and its related information are subject to change without advance notice. Please refer to <a href="www.atpinc.com">www.atpinc.com</a> for latest information

v2 082024

© Copyright 2024 ATP Electronics, Inc. All rights reserved.



The Global Leader in Specialized Storage and Memory Solutions

**WE BUILD WITH YOU** 

ATP TAIWAN (HQ)

ATP USA

ATP EUROPE

TEL: +49-89-374-9999-0 sales-europe@atpinc.com

ATP JAPAN

TEL: +81-3-6260-0797 sales-japan@atpinc.com

ATP CHINA

TEL: +86-21-5080-2220 sales@cn.atpinc.com

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

### ATP Electronics:

AF512UDI-5AFXM AF512UDI-ZAEXM