Contact Dimensions: 500-Wire Hole .050x.025(1.27x0.64) - Tail LG=.260(6.60) .100 (2.54) Contact Spacing x .200 (5.08) Row Spacing

THIS IS A C.A.D. GENERATED DRAWING



1220E NOMBER


160 [4.06] POINT OF CONTACT

.330[8.38] CARD SLOT

345-ENG-MASTER

ORIGINAL

1



SECTION A-A

SECTION A-A

345/395 SERIES CARD EDGE CONNECTOR
PART NUMBER: 345-015-500-678

EDAC INC These drawings and specifications SCALE: 1:1 SHEET 1 OF 2

YOUR CONNECTION TO QUALITY & SERVICE

- INSULATOR MATERIAL: THERMOPLASTIC PBT BLACK, UL 94V-0
   CONTACT MATERIAL; COPPER TIN ALLOY
- CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE









**Contact Code 558** 

Contact Code 559

**Contact Code 560** 

INSULATOR MATERIAL: THERMOPLASTIC POLYESTER, UL 94V-0

DAP MATERIAL AVAILABLE UPON REQUEST

CONTACT MATERIAL; COPPER ALLOY CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE

## 345/395 SERIES CARD EDGE CONNECTOR CONTACT CODE 555,556,558,559,560 DIMENSIONS

YOUR CONNECTION TO QUALITY & SERVICE

	ACAD REFERENCE NO. 345-ENG-MASTER	
	DRAWN: R.STA.MONICA	DATE: <b>MAY.16/2017</b>
	CHECKED:	DATE:
	SCALE: 1:1	SHEET 2 OF 2
D	DRAWING NUMBER	ISSUE

345-ENG-MASTER

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

EDAC:

345-015-500-678