
SIEMENS

Data sheet 6XV1812-8A

product type designation

product description



Energy cable 2 x 0.75

Power cable (2-core), sold by the meter, unassembled

Energy cable, 2-wire power line, stranded wire, 2x 0.75 mm2, trailable Delivery unit max. 2000 m minimum order quantity 20 m sold by the meter

suitability for use	Connection of signaling contact and 24 V power supply to SCALANCE X and SCALANCE W
cable designation	L-YY-2x1x0.75 GR
electrical data	
insulation resistance coefficient	1 GΩ·m
operating voltage / RMS value	600 V
conductor cross section / of the power line	0.75 mm²
continuous current / of the power lines	6 A
mechanical data	
number of electrical cores	2
outer diameter	
• of inner conductor	1.3 mm
 of the wire insulation 	2.5 mm
of cable sheath	7.4 mm
symmetrical tolerance of the outer diameter / of cable sheath	0.3 mm
design of stranding element	Pairs
conductor class	5
material	
 of the conductor 	CU, blank
 of the wire insulation 	PVC
of cable sheath	PVC
product component / PE connection	No
marking / of cores	Color
color	
 of the power line insulation 	brown / blue
of cable sheath	gray
bending radius	
with single bend / minimum permissible	19 mm
 with multiple bends / minimum permissible 	45 mm
with continuous bending	57 mm
number of bending cycles	100000
tensile load / maximum	100 N
weight per length	70 kg/km
ambient conditions	
ambient temperature	
during operation	-20 +80 °C
during storage	-20 +80 °C
during transport	-20 +80 °C

during installation	-20 +80 °C
fire behavior	Flame-resistant acc. to IEC 60332-1
class of burning behaviour / according to EN 13501-6	Eca
chemical resistance	
• to mineral oil	Conditional resistance
• to grease	Conditional resistance
• to water	Conditional resistance
radiological resistance / to UV radiation	resistant
product features, product functions, product components / ge	eneral
product feature	
• halogen-free	No
• silicon-free	Yes
standards, specifications, approvals	
UL/ETL listing / 300 V Rating	Yes; CL3
UL/ETL style / 600 V Rating	Yes
certificate of suitability	
 EAC approval 	Yes
 RoHS conformity 	Yes
further information / internet links	
internet link	
 to website: Image database 	https://www.automation.siemens.com/bilddb
• to website: Industry Online Support	https://support.industry.siemens.com
security information	
security information	Siemens provides products and solutions with industrial cybersecurity functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cert. (V4.7)
Approvals / Certificates	

General Product Approval Test Certificates

Manufacturer Declaration



Declaration of Conformity



Manufacturer Declaration Manufacturer Declaration

other

Environment Industrial Communication

Confirmation PROFINET

last modified: 4/19/2024 🖸

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Siemens:

6XV18128A