## **SIEMENS**

Data sheet 3TY7683-0CP7



Magnet coil with switch-on electronics for contactor 3TF6844-.C.., 230...276 V AC 50/60 Hz

Figure similar

product brand name		3T	
product designation		Magnet coil	
Substance Prohibitance (Date)		03/01/2017	
type of voltage of the control supply voltage		AC	
control supply voltage 1 at AC			
• at 50 Hz		230 277 V	
• at 60 Hz		230 277 V	
control supply voltage 2 at AC			
<ul> <li>at 50 Hz rated value</li> </ul>		277 V	
• at 60 Hz rated value		277 V	
Approvals Certificates			
General Product Approval	Declaration of Conformity		other

Confirmation







Confirmation

## **Further information**

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3TY7683-0CP7

Cax online generator


http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3TY7683-0CP7

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3TY7683-0CP7

 $Image\ database\ (product\ images,\ 2D\ dimension\ drawings,\ 3D\ models,\ device\ circuit\ diagrams,\ EPLAN\ macros,\ ...)$ 

http://www.automation.siemens.com/bilddb/cax\_de.aspx?mlfb=3TY7683-0CP7&lang=en



last modified: 12/23/2020 🖸

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Siemens:

3TY76830CP7