



# **FSP201 Development Kit**

## **Quick Start Guide 1000-5132**

**Rev. 1.1**  
**December 2023**



## Documentation Control

### *History Table*

Version	Date	Description
1.0	December 6, 2023	Initial Release
1.1	December 12, 2023	Broken reference fixes, odd page footer update

## Disclaimer and Proprietary Information Notice

The information contained in this document does not represent a commitment on any part by CEVA®, Inc., or its subsidiaries (collectively, "CEVA"). CEVA makes no warranty of any kind with regard to this material, including, but not limited to implied warranties of merchantability and fitness for a particular purpose whether arising out of law, custom, conduct, or otherwise.

Additionally, CEVA assumes no responsibility for any errors or omissions contained herein, and assumes no liability for special, direct, indirect, or consequential damage, losses, costs, charges, claims, demands, fees, or expenses, of any nature or kind, which are incurred in connection with the furnishing, performance, or use of this material.

This document contains proprietary information, which is protected by U.S. and international copyright laws. All rights reserved. No part of this document may be reproduced, photocopied, or translated into another language without the prior written consent of CEVA. All product names are registered trademarks of CEVA®, Inc. and/or its subsidiaries, or, of its applicable suppliers if so stated.

## Support

CEVA® makes great efforts to provide a user-friendly software and hardware development environment. Along with this, CEVA provides comprehensive documentation, enabling users to learn and develop applications on their own. Due to the complexities involved in the development of DSP applications that might be beyond the scope of the documentation, an online Technical Support Service has been established. This service includes useful tips and provides fast and efficient help, assisting users to quickly resolve development problems.

### How to Get Technical Support:

- **FAQs:** Visit our website <http://www.ceva-dsp.com> or your company's protected page on the CEVA website for the latest answers to frequently asked questions.
- **Application Notes:** Visit our website <http://www.ceva-dsp.com> or your company's protected page on the CEVA website for the latest application notes.
- **Email:** Use the CEVA central support email address [ceva-support@ceva-dsp.com](mailto:ceva-support@ceva-dsp.com). Your email will be forwarded automatically to the relevant support engineers and tools developers who will provide you with the most professional support to help you resolve any problem.
- **License Keys:** Refer any license key requests or problems to [sdtkeys@ceva-dsp.com](mailto:sdtkeys@ceva-dsp.com). For SDT license keys installation information, see the *SDT Installation and Licensing Scheme Guide*.

**Email:** [ceva-support@ceva-dsp.com](mailto:ceva-support@ceva-dsp.com)

**Visit us at:** [www.ceva-dsp.com](http://www.ceva-dsp.com)

## Table of Contents

<b>1. INTRODUCTION .....</b>	<b>8</b>
1.1 Scope.....	8
1.2 Audience .....	8
1.3 Related Documents.....	8
1.4 Overview .....	8
<b>2. HARDWARE .....</b>	<b>9</b>
2.1 Introduction.....	9
2.2 Connections .....	10
2.2.1 Nucleo .....	10
2.2.2 Host Interface (J3) .....	11
2.3 Host Protocol Configuration.....	11
<b>3. SOFTWARE.....</b>	<b>12</b>
3.1 FSP201 Development Kit .....	12
3.2 PC Demo Application with Dev Kit.....	12
3.2.1 Requirement.....	12
3.2.2 Running PC Application .....	13
3.2.3 Backup Bridge Image.....	19
3.3 Development Environment.....	19
3.4 Embedded Example Software .....	20
<b>4. SIMPLE CALIBRATION.....</b>	<b>25</b>
4.1 Hardware Controlled Method .....	25
4.2 Software Controlled Method .....	25
<b>5. GLOSSARY.....</b>	<b>26</b>

## List of Figures

Figure 2-1: FSP201 Development Kit .....	9
Figure 3-1: Simplified System Diagram with Freespace™ MotionStudio .....	12
Figure 3-2: Device Manager to check installed driver for ST Virtual COM Port .....	13
Figure 3-3: Freespace™ MotionStudio 2 Startup Window .....	13
Figure 3-4: Device Connection Panel .....	14
Figure 3-5: Device Connection Window after Successful Communication in Freespace™ MotionStudio2 .....	15
Figure 3-6: Sensor Control Panel in Freespace™ MotionStudio 2 .....	16
Figure 3-7: Virtual Object Panel in Freespace™ MotionStudio 2.....	17
Figure 3-8: FSP201 Device Orientation .....	17
Figure 3-10: Sensor Orientation in Virtual Object Panel in Freespace™ MotionStudio 2.....	18
Figure 3-11: Installed driver for ST Virtual COM port .....	19
Figure 3-12: Simplified System Diagram (blue indicates driver developed by CEVA) .....	20
Figure 3-13: Source Code Structure .....	20

Figure 3-14: Terminal Emulator Screenshot.....22  
Figure 3-15: IAR EWARM Screenshot.....23  
Figure 3-16: Simple Calibration Procedure Start Position .....24  
Figure 3-17: Simple Calibration Procedure End Position.....24

## List of Tables

Table 2-1: FSP201 Shield to Nucleo Interface .....10  
Table 2-2: Host Interface (J3) pinout.....11  
Table 2-3: Host Protocol Selection.....11  
Table 3-1: Acronyms .....26

# 1. Introduction

## 1.1 Scope

This document describes the features and operation of the FSP201 Development Kit.

## 1.2 Audience

This document is intended for software and hardware engineers integrating or evaluating the FSP201.

## 1.3 Related Documents

The following documents are related to the information in this document:

1. 1000-4819 FSP201 Datasheet, CEVA, Inc.
2. 1000-3625 SH-2 Reference Manual, CEVA, Inc.
3. 1000-4906 FSP201 Simple Calibration User Guide, CEVA, Inc.
4. 1000-3535 Sensor Hub Transport Protocol
5. 1000-5106 Schematic, Module, Dev Kit Shield
6. 1000-4868 Schematic, FSP201 Module


## 1.4 Overview

The FSP201 is a 6-axis IMU processor, integrating CEVA's high-performance sensor hub software stack, to provide heading and orientation outputs. When connected to one of several supported sensors, it performs all the accelerometer and gyroscope sensor fusion processing necessary to produce stable and accurate heading and orientation outputs. This document is intended to provide information about the FSP201 Development Kit, the pin connections and software provided by CEVA to facilitate customer integration.

## 2. Hardware

### 2.1 Introduction

The FSP201 Development Kit includes a shield known as the FSP201 (“target device”) Development Board that is designed for quick and easy development and prototyping. The shield is designed to connect to the STM32F411RE Nucleo (“bridge board”) which is developed and sold by STMicroelectronics (ST) and is included in the FSP201 Development Kit package. The Nucleo platform includes a STM32F411 MCU that serves as the master to the FSP201. This document includes details for connecting and using the FSP201 Development Kit with the ST Nucleo prototyping platform.



*Figure 2-1: FSP201 Development Kit*

## 2.2 Connections

### 2.2.1 Nucleo

The FSP201 Development Shield simply plugs into the Nucleo board and is ready to use. The reader is encouraged to review the FSP201 Datasheet [1] and the FSP201 Shield Schematic [5] for more information on the pinout configurations. The FSP201 communicates with a host system over the following possible interfaces: I2C-SHTP, UART-RVC, or UART-SHTP.

Dev Board	Signal	Nucleo
JP1.1	NC	CN6.1
JP1.2	VDD	CN6.2
JP1.3	NC	CN6.3
JP1.4	NC	CN6.4
JP1.5	NC	CN6.5
JP1.6	GND	CN6.6
JP1.7	GND	CN6.7
JP1.8	NC	CN6.8

Dev Board	Signal	Nucleo
JP2.1	RED LED	CN8.1
JP2.2	GRN LED	CN8.2
JP2.3	NC	CN8.3
JP2.4	PS1	CN8.4
JP2.5	NC	CN8.5
JP2.6	NC	CN8.6

Dev Board	Signal	Nucleo
JP3.10	H_SCL	CN5.10
JP3.9	H_SDA	CN5.9
JP3.8	NC	CN5.8
JP3.7	GND	CN5.7
JP3.6	NC	CN5.6
JP3.5	NC	CN5.5
JP3.4	H_SA0	CN5.4
JP3.3	NC	CN5.3
JP3.2	NC	CN5.2
JP3.1	H_RX	CN5.1

Dev Board	Signal	Nucleo
JP4.8	NC	CN9.8
JP4.7	PS0	CN9.7
JP4.6	RESETN	CN9.6
JP4.5	BOOTN	CN9.5
JP4.4	H_TX	CN9.4
JP4.3	H_INT	CN9.3
JP4.2	NC	CN9.2
JP4.1	NC	CN9.1

*Table 2-1: FSP201 Shield to Nucleo Interface*

In UART-SHTP and I2C-SHTP modes, the FSP201 uses the Sensor Hub Transport Protocol (SHTP) to communicate with a system or application processor (host that connects to the FSP201). The SHTP protocol is documented in the Sensor Hub Transport Protocol [4], allowing a customer to potentially develop their own host software if they choose to do so. To ease customer integration, CEVA has developed software that runs on a host platform such as the STM32F411RE Nucleo series. The software driver fully implements the communication protocol used by the FSP201. CEVA provides this software driver package as source code. The FSP201 Development Kit has programmed the ST Nucleo to work with the CEVA PC application to demonstrate functions. Customers who intend to use the FSP201 Development Kit for their own software development should use the driver package to download new firmware.

In UART-RVC mode, the FSP201 transmits heading and sensor information at 100Hz over the H\_TX pin. UART-RVC mode has its own dedicated packet format. It's not configurable, but convenient to get a limited sensor data set for applications.

## 2.2.2 Host Interface (J3)

The Host Interface connector (J3) is available for testing purposes, or this interface could be used to wire up to another host.

Dev Board	Signal	Description
J3.1	SA0	I2C address select
J3.2	SDA_TX	I2C data / UART TX data
J3.3	SCL_RX	I2C clock / UART RX data
J3.4	NA	Not applicable
J3.5	INT	Host interrupt
J3.6	PS1	Host interface protocol select 1
J3.7	NRST	Reset, Active low
J3.8	NC	Not connected
J3.9	VDD	Power supply
J3.10	GND	Ground
J3.11	PS0	Host interface protocol select 0
J3.12	BOOTN	Bootloader select

*Table 2-2: Host Interface (J3) pinout*

## 2.3 Host Protocol Configuration

The communication interface is configured by setting the protocol selection PS0 and PS1 pins appropriately.

PS1	PS0	FSP201 Transport Protocol
0	0	I2C-SHTP
0	1	UART-RVC
1	0	UART-SHTP
1	1	Not supported

*Table 2-3: Host Protocol Selection*

## 3. Software

### 3.1 FSP201 Development Kit

FSP201 Development Kit contains a pre-programmed STM32 Nucleo board with CEVA software that allows communication between the FSP201 and Freespace™ MotionStudio 2.

Freespace™ MotionStudio 2 is a Windows application to allow users to control and configure the FSP201 through a USB interface. FSP201 Development Kit can be used for a quick evaluation of the FSP201. A generalized system diagram is shown below.




Figure 3-1: Simplified System Diagram with Freespace™ MotionStudio

### 3.2 PC Demo Application with Dev Kit

#### 3.2.1 Requirement

Running Freespace™ MotionStudio 2 with FSP201 development kit requires the following items.

- ST-LINK/V2 USB driver available from the ST website (<http://www.st.com/en/embedded-software/stsw-link009.html>).
- ST32 Virtual COM Port Driver from ST website (<http://www.st.com/en/development-tools/stsw-stm32102.html>). The FSP201 software package is tested with STSW version 1.4.0. Once you have downloaded and extracted the driver, follow the readme.txt file for the instructions to complete the installation.
- Freespace™ MotionStudio 2 application from <https://www.ceva-dsp.com/resource/freespace-motionstudio-2-2-0-1/>

Connect USB Type A to Mini-B cable to Nucleo board and your PC. The virtual COM port should appear in your Device Manager.



*Figure 3-2: Device Manager to check installed driver for ST Virtual COM Port*

Start Freespace™ MotionStudio 2 (MotionStudio2.exe) after FSP201 development kit virtual COM port is successfully detected in your PC.

## 3.2.2 Running PC Application

### 3.2.2.1 Start Freespace™ MotionStudio 2

After you unzip the PC Application package, launch MotionStudio2.exe under MotionStudio2 folder. This will open MotionStudio2 window.




*Figure 3-3: Freespace™ MotionStudio 2 Startup Window*

### 3.2.2.2 Establish Connection to the Nucleo Board


From the menu panel on the left, select Device Connection. This panel allows users to select device type, transport protocol and more.

- **Product** set to FSP201

- **Bridge Device Type** set to ST Nucleo
- **Bridge Virtual COM Port** select the available ST Link Virtual COM port
- **Target Device** set to SHTP over UART
  - SHTP over I2C and UART RVC are other supported target devices
- Use the “**Connect**” button to establish the connection.



**Figure 3-4: Device Connection Panel**



**Figure 3-5: Device Connection Window after Successful Communication in Freespace™ MotionStudio2**

When connection process is completed, the three status indicator text boxes on the upper right corner of the panel and the console window on the bottom provide the result of connection process. The three status indicators show the status of the connected system and the status of the associated panel. If the specific panel supports the protocol used by the connected device, the panel becomes active and shows in green color.

### 3.2.2.3 Sensor Control

The Sensor Control panel allows the user to enable and disable the various sensors individually. There are two ways to control sensors:

- To enable an individual sensor at a default operation rate, use the check box on the right end of the row for each sensor.
- To enable sensors at specific rates, input the requested operating period, in microseconds, in the "Requested Period (us)" fields. Then click the "Set Sensor Periods" button on the top of the panel. All sensors will be updated with the specified operating period. The "Requested Period (us)" fields which are left blank or have invalid values are assumed to be "zero".

In many cases, the sensors do not operate at the exact rate as requested. The actual operating period is shown in the "Reported Period (us)" field. Users can also use the "Get Sensor Periods" button on top of the panel to refresh the actual operating period for all sensors.




Figure 3-6: Sensor Control Panel in Freespace™ MotionStudio 2

### 3.2.2.4 Virtual Object

The Virtual Object panel shows the orientation of the device. Please note that you need to enable sensors in Sensor Control panel, then select the sensor from the drop-down menu in Virtual Object panel. The sword in the Virtual Object will move according to the device orientation.

To adjust the camera position, move the cursor to the Virtual object Panel, then press the LEFT mouse button. Hold the button down and move the mouse to change the view position. To reset the camera position, use the "Reset Camera Position" button.

To display the game rotation vectors, select the game rotation vectors from the drop-down menu, the data fields should start updating with the received sensor data. The virtual object will move according to the orientation of the hardware. Use the Sensor Control Panel to enable or disable the specific sensor. This panel does not control the sensor but displays the output data.




Figure 3-7: Virtual Object Panel in Freespace™ MotionStudio 2




Figure 3-8: FSP201 Device Orientation

X/Y marked on the board, using the right-handed rule

Please follow the instructions below to align your device.

- Enable Game Rotation Vector and ARVR Stabilized Game Rotation Vector in “Sensor Control” panel.
- Switch to Virtual Object panel and move the background so the black corner of the logo on the ground plane points to your forward direction (heading).
- Hold the FSP201 development kit Y+ axis points to your forward direction as well.
- Select “Game Rotation Vector” in drop down menu and click “Tare Z”. Now, the sword will point to the edge of the logo and is aligned with your device Y+.




Figure 3-9: Sensor Orientation in Virtual Object Panel in Freespace™ MotionStudio 2

### 3.2.3 Backup Bridge Image

ⓘ Please keep in mind that FSP201 Development Kit is programmed to work with a Windows PC Application. Development example code explained in Section 3.3 is different and will overwrite the binary image shipped with the FSP201 Development Kit. If you want to switch back to the bridge code to run the Windows PC Application, please either download the latest bridge firmware from CEVA website (<https://www.ceva-dsp.com/resource/bridge-firmware-for-nucleo/>), or read the Nucleo device memory using STM32 ST-LINK Utility before downloading a new image into the Nucleo board. Please follow the instructions below to back up the prebuilt bridge image.

To save the contents of Nucleo bridge board:

- Open STM32 ST-LINK Utility
- Target->Connect
- Use “Save the displayed content in a Binary File” on the top left corner to save the image into a file for future use.

To program Nucleo bridge board with the saved image:

- Open STM32 ST-LINK Utility
- Target->Connect
- Target->Program
- In new window select “File path” to locate previously saved file.
- Click “Start”

## 3.3 Development Environment

The example software requires the following items to execute.

- IAR Embedded Workbench® for ARM (EWARM) by IAR Systems.
- ST-LINK/V2 USB driver. This driver is available from the ST website and is supported by the IAR Embedded Workbench for ARM (EWARM). After installing EWARM, check IAR\_INSTALL\_DIRECTORY\arm\drivers\ST-Link\ Please skip this step if you have installed already from Section 3.2.1.
- ST32 Virtual COM Port Driver from the ST website. Please skip this if you have installed already from Section 3.2.1.



*Figure 3-10: Installed driver for ST Virtual COM port*

- Terminal emulator software like Tera Term or PuTTY. Set up the terminal emulator at 115200 – 8bit – no parity – 1bit stop bit – no flow control.

### 3.4 Embedded Example Software

CEVA provides a complete software package for the STM32F411RE Nucleo boards. The example application for FSP201 development kit source code is available in public github.

<https://github.com/ceva-dsp/sh2-demo-nucleo>

Clone this repository using the --recursive flag with git. An example git clone command is shown below.

`git clone --recursive https://github.com/ceva-dsp/sh2-demo-nucleo.git`

Everything required to obtain outputs from the FSP201 is included in this package. The software package incorporates the FSP201 driver, enabling SH2 functionality for the development system.




Figure 3-11: Simplified System Diagram (blue indicates driver developed by CEVA)




Figure 3-12: Source Code Structure

The software is organized as an IAR EWARM project that can be dropped into the IAR IDE (version 9.32 and higher) on a Windows PC. Follow this procedure to compile the project and download the software to the Nucleo board.

- Open IAR Embedded Workbench for ARM (EWARM)
- In the File menu, select Open and choose Workspace. Browse to where the example package is extracted and select “sh2-demo-nucleo/EWARM/Project.eww”. This should open an IAR workspace with all the files within the project.
- In the project configuration, select one of the following for the FSP201.
  - fsp20x-uart: FSP201 in UART-SHTP mode.
  - fsp201-i2c: FSP201 in I2C-SHTP mode.
  - fsp201-uart-cal: simple calibration demo for the FSP201 in UART-SHTP mode.
  - fsp201-i2c-cal: simple calibration demo for the FSP201 in I2C-SHTP mode.
  - demo-rvc: FSP201 in UART-RVC mode.
- In the “Project” menu, select “Rebuild All” to compile the project.
- After the project is successfully compiled, go to the Project menu and select Download and Debug.

The “sh2” directory contains a full implementation of the CEVA communications protocol for the FSP201.

The reader is encouraged to review the FSP201 Datasheet [1] and the SH-2 Reference Manual [2] for details on how to construct messages.

The output from the FSP201 is printed through the serial port. The first few lines indicate that the host has established proper communication (“Product ID Request”) with the FSP201 and the FSP201 has responded with version information (“Product ID Response”).

- fsp201-i2c:

Game Rotation vector is enabled at 100Hz by default and reports are printed through the serial port.





Figure 3-13: Terminal Emulator Screenshot





*Figure 3-15: Simple Calibration Procedure Start Position*

Rotate 180 degrees and press Enter to get calibration results:

```

COM26:115200baud - Tera Term VT
File Edit Setup Control Window Help

CEVA FSP200 Calibration Demo.
Part 10004818 : Version 3.12.25 Buil
CEVA FSP200 Calibration Demo.
Part 10004818 : Version 3.12.25 Build 36
Part 10004817 : Version 1.10.13 Build 9
Part 10004815 : Version 5.7.24 Build 26
Part 10004814 : Version 5.3.26 Build 20
Part 10004888 : Version 3.12.18 Build 18
Put module in start orientation, press ENTER.
>
Rotate module to final orientation, press ENTER.
>
Calibration completed successfully.
Put module in start orientation, press ENTER.
>
    
```



*Figure 3-16: Simple Calibration Procedure End Position*

## 4. Simple Calibration

### 4.1 Hardware Controlled Method

Not supported on FSP201 Dev Kit hardware. See the FSP201 Datasheet to implement the FSP201 Simple Calibration via hardware control.

### 4.2 Software Controlled Method

Software Controlled Simple Calibration only works in SHTP mode.

Configuration from the IAR Embedded Workbench “fsp201-i2c-cal” or “fsp201-uart-cal” shows how to execute the FSP201 Simple Calibration. SH-2 Reference Manual [2] Section 6.4.11 also shows the details of the commands used in the example application.

Enter Calibration Mode: `startCalStart()` shows command to initiate the Simple Calibration. Wait for the command response, `startCalRx()`.

Rotate: Once a valid response is received, rotate the device 180° clockwise, then send finish calibration command, `finishCalStart()`.

Wait for the Calibration Results: wait for the finish calibration response, `finishCalRx()` and check the calibration status.

When Finish Calibration Response returns any error code, rerun the Simple Calibration for a couple of more times. If the calibration still fails, the device is out of specification.

## 5. Glossary

Table 5-1 defines the acronyms used in this document.

*Table 5-1: Acronyms*

Term	Definition
SHTP	Sensor Hub Transport Protocol
MS2	MotionStudio2

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[CEVA:](#)

[FSP201-EVAL-DEVKIT](#)