XUZC50CR

Photoelectric sensors XU, accessory for sensor, reflector chemical resistance, 50x50mm



Main

Mairi	
Range of Product	Telemecanique Photoelectric sensors XU
Accessory / separate part category	Reflector for standard sensing distances
Accessory / Separate Part Type	Reflector
Accessory / separate part destination	Standard reflex photo-electric sensor
Shape of reflector	Square
Sale per indivisible quantity	1

Complementary

<u></u>		
Accessory dimension	50 x 50 mm	
Thickness	0.20 in (5 mm)	
Width	1.97 in (50 mm)	
Length	1.97 in (50 mm)	
Net Weight	0.44 lb(US) (0.2 kg)	

Ordering and shipping details

Category	22499-SENSORS ACCESSORIES	
Discount Schedule	DS2	
GTIN	3389119068901	
Nbr. of units in pkg.	1	
Package weight(Lbs)	0.63 oz (18.0 g)	
Returnability	No	
Country of origin	FR	

Packing Units

Unit Type of Package 1	PCE	
Package 1 Height	0.31 in (0.8 cm)	
Package 1 width	3.54 in (9 cm)	
Package 1 Length	3.94 in (10 cm)	

Offer Sustainability


California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	☑ REACh Declaration	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration	
Mercury free	Yes	
RoHS exemption information	€Yes	

Warranty 18 months

Product data sheet Dimensions Drawings

XUZC50CR

Dimensions



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Telemecanique Sensors:

XUZC50CR