

Han CGM M50 17-28 mm - short



Part number	19 00 000 7086
Specification	Han CGM M50 17-28 mm - short
HARTING eCatalogue	https://harting.com/19000007086

Image is for illustration purposes only. Please refer to product description.

Identification

Category	Accessories
Series of hoods/housings	Han [®] CGM-M
Type of accessory	Cable gland
Description of the accessory	Railway version Short version

Technical characteristics

Tightening torque	16 Nm
Limiting temperature	-40 +100 °C
Degree of protection acc. to IEC 60529	IP65 IP67
Size	M50
Clamping range	17 28 mm
Width across corners	55 mm

Material properties

Material (cable glands)	Brass
Material (seal)	EPDM
Surface (accessories)	Nickel plated
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	Not contained

Page 1 / 2 | Creation date 2025-02-01 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric Stiftung & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com Product data sheet 19 00 000 7086 Han CGM M50 17-28 mm - short



Material properties	
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Yes
REACH SVHC substances	Lead
ECHA SCIP number	6fb545c1-f438-46c2-b07a-8552e7e5a3d7
California Proposition 65 substances	Yes
California Proposition 65 substances	Lead Nickel
Specifications and approvals	
Approvals	DNV GL
Commercial data	
Packaging size	1
Packaging size Net weight	1 163.1 g
Net weight	163.1 g
Net weight Country of origin	163.1 g Germany

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING:

1900007086