

		REVISIONS			
REV	ECO	DESCRIPTION	DATE	BY	APPR
A1	-	RELEASE DRAWING	24/AUG/19	PETER	TOMMY





NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL:

HOUSING: THERMOPLASTIC SEAL: SILICONE RUBBER


2. MODIFICATIONS: END CAP;


REDUCED DIAMETER WIRE SEAL

- 3. SPECIFICATIONS:
 - 3.1 CURRENT RATING: 25 AMPS
 - 3.2 OPERATING TEMPERATURE: -55°C TO +125°C
 - 3.3 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE @ 1500 VOLTS AC.
 - 3.4 INSULATION RESISTANCE: 1000 MEGOHMS MIN @ 25°C.
 - 3.5 MOISTURE RESISTANCE: IP67 (MATED CONDITION)
 - 3.6 MATING CYCLE DURABILITY: 100 CYCLES
 - 3.7 RoHS COMPLIANT
- 4. MATING PART: ATP04-6P* RECEPTACLE. (* = MODIFICATIONS AND COLORS)
- 5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.




CONTACT	MIN. INSUL		TYPICAL
SIZE	O.D.		WIRE RANGE
12	2.46 mm (.097 in)	4.01 mm (.158 in)	12 - 14 AWG






PART N	PART NUMBER CHART		
COLOR	PART NUMBER		
GREY	ATP06-6S-MM01		
BLACK	ATP06-6S-MM01BK		

STANDARD MOLDED COLOR IS GREY. ADDITIONAL COLOR (BLACK) IS AVAILABLE VIA SPECIAL ORDER.



PROCESS SPECIFICATIONS

NEXT ASS'Y



		SEE PART NUMBER CHART						유
Ī		PART NUMBER			DESCRIPTION			_
	QUANTITY MA			MAT	ERI	ALS LIST		
	UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/64		SIGNATURES			Amphenol		
			DRAWN:	PETER.YANG	24/AUG/19 / XIII PII CII C			
	2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED:	ORION.LI	24/AUG/19	Sine Systems - www.amphenol-sine.com		
	3) Note reference = X		ENGINEER:		44724 Morley Drive			

TOMMY.XIE 24/AUG/19

THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY, DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DAT SHOWN HEREON ARE THE PROPERTY OF

THE AMPHENOL CORPORATION. NO RIGHT OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS.

Clinton Township, MI 48036 PLUG, 6 SOCKET, END CAP, REDUCED DIAMETER SEAL, ATP SERIES

B C-SCALE: NONE

ATP06-6S-MM01XX SHEET 1 OF 1

ATP06-6S-MM01XX REV: A1 SH:

PLUG, 6 SOCKET, END CAP, REDUCED DIAMETER SEAL, ATP SERIES

DWG NO:

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:

ATP06-6S-MM01