
**ROHS COMPLIANT** 

## PRODUCT DATA DRAWING

REVISION HISTORY					
REV	DESCRIPTION	DATE	APPROVED		
-	DCN 43165	03/17	MAL		



MATERIAL:

BODY: STAINLESS STEEL PER AMS-5640,

ALLOY UNS S30300, TYPE 1

**CONTACT:** BERYLLIUM COPPER PER ASTM B196,

ALLOY No. UNS C17300, TD04

PTFE PER ASTM D1710, TYPE I, GRADE 1, CLASS B **INSULATOR:** 

FINISH:

**BODY& CONTACT:** GOLD PER ASTM B488, TYPE II,

CODE C, CLASS 0.76; OVER NICKEL

PER AMS-QQ-N-290, CLASS 1, .000050" MIN

PERFORMANCE:

IMPEDANCE: 50 OHMS

FREQ. RANGE: DC TO 2.0 GHz

MATERIAL:	SEE NOTES	
FINISH:	SEE NOTES	

SURFACE AREA: N/A

**PROPRIETARY** 

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SV MICROWAVE, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SV MICROWAVE, INC IS PROHIBITED.

DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X°X' ±15'

.X ±.030 .XX ±.010 .XXX ±.005

INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994

THIRD ANGLE	PROJECTION
	<del></del>

## **UNLESS OTHERWISE SPECIFIED**

1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS]
2) ALL DIMENSIONS ARE AFTER PLATING.
3) BREAK CORNERS & EDGES .005 R. MAX.
4) CHAM. 137 & LAST THREADS.
5) SURFACE ROUGHNESS 63 MIL-STD-10.
6) DIA: S ON COMMON CENTERS TO BE CONCENTRIC WITHIN .005 T.I.R.
7) REMOVE ALL BURRS

ANGLE PROJECTION	DRAWN:	VB 03/03/17
	CHECKED:	MAL 03/03/17
	APPROVED:	MAL 03/03/17



**BZ BOARD MOUNT JACK** 

	CAGE CODE <b>95077</b>	DWG. NO. 8821-6	0021
SCALE: 4:1			CUEET 4.0

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

<u>Amphenol</u>: 8821-60021