






Sep.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



RECOMMENDED PC BOARD HOLE PATTERN(1:1)



HRS DRAWING FOR REFERENCE

1, 2	PBT	BEIGE UL94V-0	4	PHOSPHOR BRONZE	Ni1 μm+Sn1 μm
			3	COPPER ALLOY	CONTACT AREA: Ni1 μm+Au0.1 μm DIP AREA: Ni1 μm+Sn1 μm
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS
UNITS mm		SCALE ? : 1		COUNT 1	DESCRIPTION OF REVISIONS DIS-F-00006644
				DESIGNED AK. IWAHORI	CHECKED HT. YAMAGUCHI
				DATE 20200929	
HRS	HIROSE ELECTRIC CO., LTD.	APPROVED : KI. AKIYAMA 20060515	DRAWING NO.	EDC3-019831-02	
		CHECKED : SI. TOMIOKA 20060513	PART NO.	PCN12E-16S-2.54DSA(71)	
		DESIGNED : HM. SAITO 20060513	CODE NO.	CL583-2065-5-71	
		DRAWN : HM. SAITO 20060513			1/1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[PCN12E-16S-2.54DSA\(71\)](#)