

# PAG.MO.7GL.CC52G

## **SUMMARY**

#### # Wires

Low voltage 7



Image is for illustrative purpose only

Series 1P

**Termination type** Male crimp

IP rating 50

AWG wire size 0.00 - 22.00

Cable Ø 4.00 - 5.20 mm

**Status** active

Matching parts PLG.M0.7GL.MG

### **Download**

Request a quote

Eplan Catalog

## **TECHNICAL DETAILS**

#### **Mechanics**

Shell Style/Model PA\*: Straight plug with cable collet

**Keying** 1 key (alpha=0; Plug: male contact; Receptacle: female contact)

Housing Material PSU (Polysulfone), gray

**Variant** G: Gray collet nut

Weight 6.34 g

### **Performance**

Configuration 1P.M07: 7 Low Voltage Insulator L: PEEK (UL 94 / V-0/1.5)

Rated Current 5 Amps

## **Specifications**

Contact Type: Crimp Contact Retention: 26 N

Contact Dia.: 0.7 mm (0.0275in) Min. Conductor: 0.14 mm^2 (AWG 26) Max. Conductor: 0.34 mm^2 (AWG 22)

R (max): 6.5 mOhm

Test voltage (kV rms) Contact-contact: 1.05

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

Air clearance min.: 0.85 mm Creepage distance min.: 0.85 mm


## **Others**


Endurance (Shell): >2000 mating cycles Temp (min / max): -50°C / +150°C

F ret (min): 50 N F ret (max): 150 N

Steam sterilization: > 100 times (with potting on rear connection)

## **DRAWINGS**







# **RECOMMENDED BY LEMO**

#### **Tools**

Crimp Tool: DPC.91.701.V

Crimp settings: AWG/Selector = 22-24-26/6-5-5

Positionner: <a href="DCE.91.075.BVW">DCE.91.075.BVW</a>
Extractor: <a href="DCF.91.073.5LT">DCF.91.073.5LT</a>

Replacement contact: SINGLE: FGG.5B.555.ZZD KIT OF 7: PAG.557.07C

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

LEMO:

PAG.M0.7GL.CC52G