
MALLORY Mallory Sonalert Products,Inc.		Part #:	SBT5XHPC
Sales Outline Drawing		Revision:	D
Specifications:	cUL Recognized to IEC60601-1-8 AMD1 Oxygen Melody - High Priority Only		
Sound Level Category:		Loud	
Mode of Operation:	High Priority Alarm - 10 b	High Priority Alarm - 10 beeps repeating every 2.5 sec	
Voltage Rating:	3.3 to 5 VDC		
Frequency:	150 to 4000 Hz		
Loudness @ 10cm:	85 to 95 dB(A) Typ.		
Average Current Draw:	<35mA Typ.		
lpk Current*:	300mA		
Housing Material:	ABS 777D Plastic Resin, Black		
Storage Temperature:	-40° to +85° C		
Operating Temperature:	-30° to +65° C		
Weight Typical:	0.6 oz (17g)		
Options:	Please contact factory.		
Condition by wave solder (°C)	260 ± 5 within 5 sec		
Condition by hand solder (°C)	350 ± 20	350 ± 20 within 5 sec	

Condition by hand solder (°C) 350 ± 20 within 5 sec

Dimensions: Inches (mm) CUL Recognized ROHS Compliant

PATENT NUMBER: 7880593



tolerances:

±0.01 [±0.3] ±0.005 [±0.1]

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Mallory Sonalert: SBT5XHPC