

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018872](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Impact Backplane Press-In Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	207123
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Press-Fit Insertion Tool
UPC	887191234342
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
Application Tooling Documents

ATS-622018872



Series image - Reference only

EU ELV

Not Reviewed

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207123 Series](#)

Use With

[76055](#) Impact 100 Ohm Vertical Backplane Signal Module Assembly

Application Tooling | **FAQ**

Description	Product #
--------------------	------------------

Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 12 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	760551207
---	---------------------------

Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Left Endwall, 12 Columns, 180 Circuits, Pin Length	760551217
---	---------------------------

4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551218
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551225
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free
Impact 100 Ohm 760551228
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551237
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551238
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760553207
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
12 Columns, 180

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760553208

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
12 Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760553267

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
12 Columns, 180

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free, Key

Orientation F
Impact 100 Ohm 760555207

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
12 Columns, 180

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760555208

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
12 Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557208

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
12 Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760559207

5 Pair Vertical
Backplane Header,
Right Guided,

Left Endwall, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760559208
5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

This document was generated on 02/26/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[62201-8872](#)