

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018873](#)
Status: **Active**
Overview:
Description: Impact Backplane Press-In Tool

General

Product Family	Application Tooling
Series	207123
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	application_tooling
Product Name	Impact
Tool Type	Press-Fit Insertion Tool
UPC	887191234359
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-622018873](#)

EU ELV

Not Reviewed

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit [Contact US](#)

China RoHS

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207123](#) Series

Use With

[76055](#) Impact 100 Ohm Vertical Backplane Signal Module Assembly

Application Tooling | **FAQ**

Description | **Product #**

Impact 100 Ohm [760551603](#)

5 Pair Vertical Backplane Header, Unguided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free

Impact 100 Ohm [760551604](#)

5 Pair Vertical Backplane Header, Unguided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free

Impact 100 Ohm [760551605](#)

5 Pair Vertical Backplane Header, Unguided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551606
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551607
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551608
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551613
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551614
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551615
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length

5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551616
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551617
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551618
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551623
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551624
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551625
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [760551626](#)
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [760551627](#)
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [760551628](#)
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [760551633](#)
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [760551634](#)
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [760551635](#)
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16

Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551636
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551637
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551638
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760553603
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760553604
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760553605
5 Pair Vertical
Backplane Header,
Left Guided,

Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760553606](#)

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760553607](#)

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760553608](#)

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760553614](#)

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact 100 Ohm [760553615](#)

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact 100 Ohm 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>760555603</u>
Impact 100 Ohm 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>760555604</u>
Impact 100 Ohm 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>760555605</u>
Impact 100 Ohm 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>760555606</u>
Impact 100 Ohm 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>760555607</u>
Impact 100 Ohm 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 5.50mm, Plated Through Hole	<u>760555608</u>

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760555615

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact 100 Ohm 760555617

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm ,
Key Orientation A,
Lead-Free

Impact 100 Ohm 760557603

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557604

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557605

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557606

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557607

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557608

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760559603

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760559604

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760559605

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760559606

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16

Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760559607
5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760559608
5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

This document was generated on 02/27/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[62201-8873](#)