

This document was generated on 05/22/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0917162013

Status: **Active**

RAST 2.5 Connector System Overview:

Description: 2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits,

Removed Position Keys B, D, E, F & H

Documents:

3D Model Application Specification 990330008-000 (PDF) Drawing (PDF) Packaging Specification PK-90871-001-001 (PDF)

RoHS Certificate of Compliance (PDF) Product Specification PS-99020-0040-001 (PDF)

Agency Certification

LR19980 **CSA** UL

General

Product Family Series Comments

E29179

IDT and Solder Connectors

91716


"""This Molex product is manufactured from material that has the following ratings, tested by independent agencies:. a) A Glow Wire Ignition Temperature (GWIT) of at least 775 deg C per IEC 60695-2-13... b) A Glow Wire Flammability Index (GWFI) above 850 deg C per IEC 60695-2-12.and hence complies with the requirements set out in the International Standard IEC 60335-1 5th edition - household and similar electrical appliances - safety, section 30 Resistance to heat and fire. <P><P> The customers using this product must determine its suitability for use in their particular application through testing or other acceptable means as described in end-product glow-wire flammability test standard IEC 60695-2-11 and any applicable product end-use standard(s). <P> If it is determined during the customer's evaluation of suitability, that higher performance is required, please contact Molex for possible product options.""", """This Molex product is manufactured from material that has the following ratings, tested by independent agencies:. a) A Glow Wire Ignition Temperature (GWIT) of at least 775 deg C per IEC 60695-2-13.. b) A Glow Wire Flammability Index (GWFI) above 850 deg C per IEC 60695-2-12.and hence complies with the requirements set out in the International Standard IEC 60335-1 5th edition - household and similar electrical appliances - safety, section 30 Resistance to heat and fire. <P><P> The customers using this product must determine its suitability for use in their particular application through testing or other acceptable means as described in end-product glow-wire flammability test standard IEC 60695-2-11 and any applicable product end-use standard(s). <P> If it is determined during the customer's evaluation of suitability, that higher performance is required, please contact Molex for

Crimp Quality Equipment Overview **Product Name**

RAST 2.5 Connector System RAST 2.5

possible product options."""

Yes



Series image - Reference only

China RoHS

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC Not Contained Per

-ED/88/2018 (15 January 2019)

Halogen-Free

Status

Low-Halogen

For more information, please visit Contact US

China ROHS Green Image **ELV** Not Relevant **RoHS Phthalates** Not Contained

Search Parts in this Series

91716 Series

Mates With

Appli-Mate RAST 2.5 Header 90861, 90860

UPC 822350166447

Use With RAST standard interface

Physical

Circuits (Loaded) 6
Circuits (maximum) 6

Color - Resin Natural (White)

Durability (mating cycles max) 10
Flammability 94V-0
Gender Female
Glow-Wire Capable No
Lock to Mating Part None

Material - Metal Phosphor Bronze

Material - Plating Mating Tin Material - Plating Termination Tin Material - Resin Nylon Net Weight 1.704/g Number of Rows Packaging Type Tray Panel Mount No Pitch - Mating Interface 2.50mm Pitch - Termination Interface 2.50mm Plating min - Mating 1.016µm Plating min - Termination 1.016µm Polarized to Mating Part No Stackable No

Temperature Range - Operating -20° to +120°C
Termination Interface: Style IDT or Pierce
Wire Size AWG 22, 24

Electrical

Current - Maximum per Contact 2.0A, 4.0A Voltage - Maximum 32V AC

Solder Process Data

Lead-freeProcess Capability N/A

Material Info

Reference - Drawing Numbers

Application Specification 990330008-000
Packaging Specification PK-90871-001-001
Product Specification PS-99020-0040-001
Sales Drawing 917160001-000

This document was generated on 05/22/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

91716-2013