

This document was generated on 09/08/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	0040400407		
	<u>0918139107</u>		
Status:	Active		
Overview:	KK® 508 Connector System		
Description:		using, 7 Circuits, White, with Ramp, Glow Wire Capable	
Documents:			
3D Model		Product Specification PS-99020-0087 (PDF)	
Drawing (PDF)		RoHS Certificate of Compliance (PDF)	
	_		
Agency Certification	ו	500170	Series image - Reference only
UL		E29179	Series image Treference only
General			
Product Family		Crimp Housings	<u>EU ELV</u>
Series		91813	Not Relevant
Application		Power, Wire-to-Board	EU RoHS China RoHS
Comments		This Molex product is manufactured from material	Compliant
Comments		that has the following ratings, tested by independent	
		agencies :. a) A Glow Wire Ignition Temperature (GWIT)	REACH SVHC
			Not Contained Per
		of at least 775 deg C per IEC 60695-2-13 b) A Glow	-ED/79/2015 (17
		Wire Flammability Index (GWFI) above 850 deg C	December 2015)
		per IEC 60695-2-12.and hence complies with the	Halogen-Free
		requirements set out in the International Standard IEC	<u>Status</u>
		60335-1 5th edition - household and similar electrical	Not Low-Halogen
		appliances - safety; section 30 Resistance to heat	Need more information on product
		and fire. <p><p>The customers using this product</p></p>	environmental compliance?
		must determine its suitability for use in their particular	
		application through testing or other acceptable means	Email productcompliance@molex.com
		as described in end-product glow-wire flammability	Please visit the Contact Us section for any
		test standard IEC 60695-2-11 and any applicable	non-product compliance questions.
		product end-use standard(s). <p>If it is determined</p>	Ohina DOUIO Oraca Imaga
		during the customer's evaluation of suitability, that	China ROHS Green Image
		higher performance is required, please contact Molex for	ELV Not Relevant
		possible product options.	
Overview		KK® 508 Connector System	
Product Name		KK® 508	Search Parts in this Series
UPC		800756784816	91813 Series
Physical			Mates With
Breakaway		No	
Circuits (maximum)		7	KK® Header <u>3003</u> , <u>3061</u>
Color - Resin		Natural (White)	
Flammability		94V-2	Use With
Gender		Female	KK® Crimp Terminal <u>2478</u> , <u>2578</u>
Glow-Wire Compliant		Yes	,
Material - Resin		Nylon	
Net Weight		1.927/g	
Number of Rows		1	
Packaging Type		Bag	
Panel Mount		No	
Pitch - Mating Interfac	ce	5.08mm	
Pitch - Termination In		5.08mm	
Polarized to Mating P		Yes	
•	an	1	
Ports Stackable		I No	
	Operating	No See Product Specification	
Temperature Range -	- Operating	See Product Specification	

Material Info

Reference - Drawing Numbers Product Specification Sales Drawing

PS-99020-0087 SD-91813-001

This document was generated on 09/08/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex: 91813-9107