

Cable connector - RC-12SDN128049 - 1611072

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Cable connector, straight, shielded: yes, Screw locking, M23, cable diameter range: 6.5 mm ... 7.5 mm



Key Commercial Data

Packing unit	20 рс		
GTIN	4 046356 393430		
GTIN	4046356393430		

Technical data

Housing data

Housing material	Metal
Type of locking	Screw locking
Degree of protection (when plugged in)	IP67
Thread type	M23

Cable seal data


Cable diameter	6.5 mm 7.5 mm
Litz wire bundle diameter	5.5 mm

Environmental Product Compliance

REACh SVHC	Lead 7439-92-1		
China RoHS	Environmentally Friendly Use Period = 50		
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"		

Drawings

Dimensional drawing





Cable connector - RC-12SDN128049 - 1611072

Approvais			
Approvals			
Approvals			
EAC			
Ex Approvals			
Approval details			
EAC	ERC		B.01742

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: