


# Panel mounting base - RC-0000000Y500 - 1615957

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Panel mounting base, straight, Screw locking, M23, Axial O-ring, 4x Ø2,7, shielded: yes



## Key Commercial Data

Packing unit	40 pc
GTIN	 4 046356 492003
GTIN	4046356492003

## Technical data

### General

Note	Order information: Order contact inserts separately
Type of locking	Screw locking
Pg housing screw connection	none
Mounting type	4x Ø2,7

### Ambient conditions

Ambient temperature	-20 °C ... 125 °C
Degree of protection	IP67

### Specifications according to DIN EN 61984:2001

Installation height max.	2000 m
--------------------------	--------


### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"


## Drawings

# Panel mounting base - RC-0000000Y500 - 1615957

Diagram



Diagram



## Approvals

### Approvals

Approvals

EAC

Ex Approvals

### Approval details

EAC



B.01742

Phoenix Contact 2018 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1615957](#)