


Cable connector - RC-06P1N1280M8 - 1621203

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Cable connector, straight, shielded: yes, Screw locking, M23, No. of pos.: 6, type of contact: Pin, Solder connection, cable diameter range: 6.5 mm ... 7.5 mm



RoHS

Key Commercial Data

Packing unit	20 pc
GTIN	4 046356 895934
GTIN	4046356895934

Technical data

Data of the insulating body

Coding	N
Insertion/withdrawal cycles mechanical	50
Contact connection method	Solder connection
Type of contacts	Pin
Application	Signal
Number of positions	6
Litz wire cross section of power contacts min.	0.08 mm ²
Litz wire cross section of power contacts max.	2.5 mm ²
Nominal current per power contact at 25°C	20 A
Nominal voltage, power contact	300 V
Rated surge voltage	2.5 kV
Overvoltage category	
Degree of pollution	3

Housing data

Housing material	Metal
Type of locking	Screw locking



Cable connector - RC-06P1N1280M8 - 1621203

Technical data

Housing data


Degree of protection (when plugged in)	IP67		
Thread type	M23		
Cable seal data			
Cable diameter	6.5 mm 7.5 mm		
Litz wire bundle diameter	6.2 mm		
Environmental Product Compliance			

REACh SVHC	Lead 7439-92-1	
China RoHS	Environmentally Friendly Use Period = 50	
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"	

Drawings

Schematic diagram





22

Dimensional drawing

Approvals

Approvals

Approvals		
EAC		
Ex Approvals		
Approval details		
EAC	FAL	B.01742
EAC	tHL	B.01742

12/07/2018 Page 2 / 3



Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1621203