

Printed-circuit board connector - MSTBL 2,5/ 2-GF-5,08 - 1725856

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

PCB headers, nominal current: 12 A, number of positions: 2, pitch: 5.08 mm, color: green, contact surface: Tin, mounting: Wave soldering



The figure shows a 10-position version of the product

Your advantages

- Maximum flexibility when it comes to device design one header for connectors with different connection technologies
- ☑ Well-known mounting principle allows worldwide use
- Plug-in direction parallel to the PCB
- Screwable flange for superior mechanical stability











Key Commercial Data

| Packing unit | 50 pc |
|--------------|-----------------|
| GTIN | 4 046356 128933 |
| GTIN | 4046356128933 |

Technical data

Dimensions

| Pitch | 5.08 mm |
|--------------------------|----------|
| Dimension a | 5.08 mm |
| Height | 9 mm |
| Length of the solder pin | 3.5 mm |
| Pin dimensions | 1 x 1 mm |

General

| Range of articles | MSTB 2,5/GF | |
|----------------------------------|-------------|--|
| Rated voltage (III/3) | 250 V | |
| Connection in acc. with standard | EN-VDE | |
| Nominal current I _N | 12 A | |



Printed-circuit board connector - MSTBL 2,5/ 2-GF-5,08 - 1725856

Technical data

| Color | green | |
|--|---|--|
| Number of positions | 2 | |
| Standards and Regulations | | |
| onnection in acc. with standard EN-VDE | | |
| Environmental Product Compliance | | |
| REACh SVHC | Lead 7439-92-1 | |
| China RoHS | Environmentally Friendly Use Period = 50 | |
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" | |

Approvals

| Approvals | | | |
|----------------|--|--|---|
| Approvals | | | |
| Approvals EAC | | | |
| Ex Approvals | | | |
| | | | _ |

Approval details

| EAC | ERC | B.01742 |
|-----|-----|---------|
|-----|-----|---------|

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1725856