

# Printed-circuit board connector - MCV 1,5/ 9-GFL-3,5 GN THTV0007 - 1769362

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)




PCB headers, number of positions: 9, pitch: 3.5 mm, color: green, contact surface: Tin

The figure shows an 8-position version

### Your advantages

- ☑ Designed for integration into the SMT soldering process
- ✓ Vertical connection enables multi-row arrangement on the PCB
- Maximum flexibility when it comes to device design one header for connectors with different connection technologies



### **Key Commercial Data**

Packing unit	300 pc	
Minimum order quantity	300 pc	
GTIN	4 046356 451086	
GTIN	4046356451086	

### Technical data

### **Dimensions**

Pitch	3.5 mm
Pin dimensions	0.8 x 0.8 mm

### General

Range of articles	MCV 1,5/GFL-THT
Color	green
Number of positions	9

### Standards and Regulations

Connection in acc. with standard	CUL



# Printed-circuit board connector - MCV 1,5/ 9-GFL-3,5 GN THTV0007 - 1769362

### Technical data

### **Environmental Product Compliance**

REACh SVHC	Lead 7439-92-1	
China RoHS	Environmentally Friendly Use Period = 50	
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"	

# Approvals Approvals EAC CULus Recognized Ex Approvals Ex Approvals EAC EHE B.01742

cULus Recognized	http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm E60425-20110128	
	D	В
Nominal voltage UN	300 V	300 V
Nominal current IN	8 A	8 A

Phoenix Contact 2018  $\mbox{@}$  - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg

Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1769362