

Electronic housing - ME MAX 67,5 2-2 KMGY VPE1 - 2201335

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Complete housing, length: 99 mm, with vents, Cross connection: DIN rail bus connector, color: light gray, width: 67.5 mm, height: 114.5 mm, number of positions cross connector: 5

Your advantages

- Item is from the ME-MAX product range
- Easy mounting
- Mathematical Available in overall widths from 6.2 mm to 90 mm, modular extension is possible
- Inflammability class V0 according to UL 94
- Variety of connection technologies
- Can be mounted on the DIN rail
- ☑ Optional with bus connector for DIN rail mounting as well as power connection system

RoHS

Key Commercial Data

| Packing unit | 1 pc |
|--------------|-----------------|
| GTIN | 4 046356 767101 |
| GTIN | 4046356767101 |

Technical data

General

| Housing type | Complete housing |
|------------------|-------------------|
| Housing material | Polyamide |
| Color (RAL) | light gray (7035) |

Ambient conditions

| Ambient temperature (storage/transport) | -40 °C 70 °C |
|---|--|
| Ambient temperature (assembly) | -5 °C 100 °C |
| Ambient temperature (operation) | -40 °C 105 °C (depending on power dissipation) |

Dimensions

| Length | 99 mm |
|--------|-----------------------|
| | 11/05/2018 Page 1 / 2 |



Electronic housing - ME MAX 67,5 2-2 KMGY VPE1 - 2201335

Technical data

Dimensions

| Height | 114.5 mm | |
|--|---|--|
| Width | 67.5 mm | |
| Depth | 99 mm | |
| Technical data | | |
| Power dissipation without gap | 9.1 W | |
| Power dissipation with 20 mm gap | 17.5 W | |
| Number of positions | 48 | |
| Standards and Regulations | | |
| Flammability rating according to UL 94 | V0 | |
| Environmental Product Compliance | | |
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e | |
| | No hazardous substances above threshold values | |

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 2201335