PHŒNIX CONTACT

Network cable - VS-M12FSBP-OE-93E-LI/2,25 - 1402222

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Assembled Ethernet cable, CAT5e, shielded, 2-pair, AWG 26 stranded (7-wire), RAL 5021 (water blue), M12 flush-type socket, rear/screw mounting with M16 thread on free conductor end, line, length 2.25 m

RoHS

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	50 pc
GTIN	4 046356 588522
GTIN	4046356588522

Technical data

Environmental Product Compliance

| REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

Dimensional drawing

≤4,5
Ø15,9 +0,1
13,5 +0,1

Housing cutout for M16 fastening thread, mounting panel with feed-through hole (alternatively with surface as protection against rotation)

Cable cross section

PUR ETHERNET 2x2 FLEX [93E]

Network cable - VS-M12FSBP-OE-93E-LI/2,25 - 1402222

Dimensional drawing

M12 flush-type connector

Approvals

Approvals

Approvals	
EAC	

Ex Approvals	

Approval details

EAC	EAC	B.00767

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#):
  [1402222](#)