PHŒNIX CONTACT

Panel feed-through - SACC-E-M12MS-5CON-PG9/1,0 - 1578599

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Sensor/actuator flush-type plug, 5-pos., M12, A-coded, front/screw mounting with Pg9 thread, with 1.0 m TPE litz wire, 5 x 0.34 mm²

**RoHS**

Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4046356471022

Technical data

Environmental Product Compliance

| China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

Dimensional drawing

Housing cutout for Pg9 fastening thread, mounting panel with thread

Dimensional drawing

Housing cutout for Pg9 fastening thread, mounting panel with feed-through hole (alternatively with surface as protection against rotation)

Panel feed-through - SACC-E-M12MS-5CON-PG9/1,0 - 1578599

Schematic diagram

4   3
5
1   2

Pin assignment M12 male connector, 5-pos., A-coded, male side

Dimensional drawing

20   500
13
2
M12x1
PG 9
17   ≥2,5

M12 flush-type plug, can be positioned

Circuit diagram

1	———	BN
2	———	WH
4	———	BK
3	———	BU
5	———	GY

Contact assignment of the M12 plug and the M12 socket

Approvals

Approvals

Approvals

UL Recognized / EAC

Ex Approvals

Approval details

UL Recognized		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 118976
Nominal voltage UN		60 V	
Nominal current IN		4 A	
mm²/AWG/kcmil		22	

Panel feed-through - SACC-E-M12MS-5CON-PG9/1,0 - 1578599

Approvals

EAC	EAC	B.00767

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#):
  [1578599](#)