

Extension Cable for use w/ UPS communications cable 15'/5m

AP9815

Usually in Stock

Overviev	
	Lead time

Main		
Cable length	4.57 m	

Physical

Number of cables

Cable end 2	SUB-D 9 male Serial Straight Through
Cable end 1	SUB-D 9 female Serial Straight Through
Mounting location	Front
Net weight	0.45 kg

Environmental

Ambient air temperature for storage	-1545 °C	
Operating altitude	010000 ft	
Relative humidity	095 %	
Ambient air temperature for operation	045 °C	
Storage altitude	0.0015240.00 m	
Storage Relative Humidity	095 %	

Packing Units

Package 1 Weight	0.45 kg
Package 1 Height	22.9 cm
Package 1 width	10.2 cm
Package 1 Length	5.1 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
EU RoHS Directive	Compliant

EU RoHS Declaration

WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov
Optimized Energy Efficiency	Energy efficient product
Take-back	Take-back program available

Contractual warranty

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric:

AP9815