9001BG202

control station type B - Start-Stop (for latching Applications) - NEMA 1



Product availability: Non-Stock - Not normally stocked in distribution facility



Main	
Range of product	Harmony 9001B
Product or component type	Complete control station
Device short name	9001BF
Control station application	Three functions
Colour of base of enclosure	Grey

Complementary

Material	Cast zinc	
Marking	CE	
Type of operator	momentary	
Control station composition	1 push-button, white UP-DOWN-STOP 1 push-button	
Contacts type and composition	2 NO + 3 NC	
Mechanical durability	5000000 cycles	
[le] rated operational current	5 A 600 V, AC	
Device mounting	Flush	
Type of installation	Indoor	

Environment

Ambient air temperature for storage	-40158 °F (-4070 °C)
Ambient air temperature for operation	-13158 °F (-2570 °C)
NEMA degree of protection	NEMA 1
Product certifications	CSA LR25490 class 3211 03 UL listed file E42259 CCN NKCR

Ordering and shipping details

Category	21421 - 9001 B (NOT BW70 - BW80)
Discount Schedule	CS1
GTIN	00785901794158
Package weight(Lbs)	0.45 kg (1 lb(US))
Returnability	No
Country of origin	MX

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds and Di-isodecyl phthalate (DIDP) which is known to the State of California to cause Carcinogen and Reproductive harm. For more information go to www.p65warnings.ca.gov
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	₫Yes
China RoHS Regulation	☐ China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information

Contractual warranty

Warranty	18 months

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric: 9001BG202