



Product availability: Non-Stock - Not normally stocked in distribution facility



### Main

|                                       |   |
|---------------------------------------|---|
| Range of product                      | Magelis XBT   |
| Accessory / separate part category    | Connection accessories                                |
| Accessory / separate part type        | Connecting cable                                      |
| Accessory / separate part designation | Direct connection cable                               |
| Accessory / separate part destination | Direct connection of XBT terminal to Omron Sysmac PLC |

### Complementary

|                             |   |
|-----------------------------|---|
| Product compatibility       | XBTGTW...<br>XBTGT6...<br>XBTOT...<br>XBTGT4...<br>XBTGT7340<br>XBTGK....<br>XBTGT2...<br>XBTGT5... |
| Range compatibility         | Omron FINS<br>Magelis HMI GTO<br>Omron A Link   |
| Cable length                | 16.4 ft (5 m)   |
| Electrical connection       | 1 male connector SUB-D 25<br>1 male connector SUB-D 9   |
| Communication port protocol | FINS (SIO)<br>A Link (SIO)  |
| Physical interface          | RS232C  |

### Ordering and shipping details

|                       |                                    |
|-----------------------|------------------------------------|
| Category              | 22569 - MAGELIS XBT-GT (AND XBT-G) |
| Discount Schedule     | MC2                                |
| GTIN                  | 00785901964278                     |
| Nbr. of units in pkg. | 1                                  |
| Package weight(Lbs)   | 1                                  |
| Returnability         | N                                  |
| Country of origin     | JP                                 |

### Offer Sustainability

|                                  |  |
|----------------------------------|--|
| Sustainable offer status         | Green Premium product  |
| RoHS (date code: YYWW)           | Compliant - since 0601 - Schneider Electric declaration of conformity <a href="#">Schneider Electric declaration of conformity</a> |
| REACH                            | Reference not containing SVHC above the threshold  |
| Product environmental profile    | Available  |
| Product end of life instructions | Available  |
| California proposition 65        | WARNING: This product can expose you to chemicals including:   |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

---

|                        |  |
|------------------------|--|
| ----- Substance 1      | Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. |
| ----- More information | For more information go to <a href="http://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>                                    |

---

### Contractual warranty

---

|                 |           |
|-----------------|-----------|
| Warranty period | 18 months |
|-----------------|-----------|

---

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Schneider Electric:](#)

[XBTZG9740](#)