




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
CM	00				
	N	REVISED PER ECR-20-000814	26MAY2020	PC	SW



1 MATERIAL: CONNECTOR - NYLON UL94V-2 (ORANGE).
 CONTACTS - 0.00076[.000030] GOLD THK OR 0.00008[.000003] MIN THK GOLD FLASH OVER 0.00068[.000027] THK PALLADIUM NICKEL, PER TE CONNECTIVITY'S DISCRETION. IN CONTACT AREA WITH MATTE TIN FOR -2 THRU -28, MATTE WHISKER MITIGATED TIN FOR 3-644460-2 THRU 4-644460-8 OVER NICKEL UNDERPLATE.

2 CONTACTS ACCEPT 18 AWG WIRE WITH 2.41[.095] MAX INSULATION DIAMETER.

3 CONTACTS MUST ACCEPT 1.14±0.03[.045±.001] POST AND REMAIN LOCKED IN POSITION.

4 IDENTIFICATION NUMBER FOR LAST CIRCUIT MAY NOT APPEAR ON ALL ASSEMBLIES.

5 DIMENSIONS IN BRACKETS ARE IN INCHES.

6 HOUSING FEATURES ARE: CLOSED END WITH LOCKING RAMP AND POLARIZING TAB.

7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

NO	DESCRIPTION	DATE	REV
NO	71.32[2.808]	18	4-644460-8
NO	67.36[2.652]	17	4-644460-7
NO	63.40[2.496]	16	4-644460-6
NO	59.44[2.340]	15	4-644460-5
NO	55.47[2.184]	14	4-644460-4
NO	51.51[2.028]	13	4-644460-3
NO	47.55[1.872]	12	4-644460-2
NO	43.59[1.716]	11	4-644460-1
NO	39.62[1.560]	10	4-644460-0
NO	35.66[1.404]	9	3-644460-9
NO	31.70[1.248]	8	3-644460-8
NO	27.74[1.092]	7	3-644460-7
NO	23.77[.936]	6	3-644460-6
NO	19.81[.780]	5	3-644460-5
NO	15.85[.624]	4	3-644460-4
NO	11.89[.468]	3	3-644460-3
NO	7.92[.312]	2	3-644460-2

7	SUPERSEDED BY	4-644460-6	NO	63.40[2.496]	16	1-644460-6
		OBSOLETE	NO	59.44[2.340]	15	1-644460-5

OBSOLETE	NO	47.55[1.872]	12	1-644460-2
	NO	43.59[1.716]	11	1-644460-1
	NO	39.62[1.560]	10	1-644460-0
	NO	35.66[1.404]	9	644460-9
	NO	31.70[1.248]	8	644460-8
	NO	27.74[1.092]	7	644460-7
	NO	23.77[.936]	6	644460-6
	NO	19.81[.780]	5	644460-5
	NO	15.85[.624]	4	644460-4
	NO	11.89[.468]	3	644460-3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	15MAR2004	TE TE Connectivity	
		CHK	K. WHITAKER 15-MAR-04		
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
0 PLC ± -		1 PLC ± -		D. BOSSI	
2 PLC ± 0.13 [.005]		3 PLC ± -		APVD	
4 PLC ± -		FINISH		D. BOSSI 15-MAR-04	
ANGLES ± 0°30'		108-1051		PRODUCT SPEC	
MATERIAL		114-1020		APPLICATION SPEC	
1		WEIGHT		SIZE	
1		-		CAGE CODE	
		CUSTOMER DRAWING		DRAWING NO	
				A2 00779 C=644460	
		SCALE		RESTRICTED TO	
		4:1		-	
		SHEET		NO. OF CIRCUITS	
		1 OF 1		PART NO.	
		REV		LEADFREE DIM A	
		N		NO. OF CIRCUITS	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-644460-1](#)