



LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
AD	00	N		REVISED PER ECO-14-000066	26JUN2014	NK
						MM

- 1 TRUE POSITION TOLERANCE OF THE POST TIPS APPLIES WHEN THE HEADER IS HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD.
- 2 THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING.
- 3 POINT OF MEASUREMENT FOR PLATING THICKNESS.
- 4 RETENTION FEATURES ON SOLDER TAILS, LOCATED AT MANUFACTURERS OPTION.
- 5 FOR 2 POSITION PART ONLY, THE NOTED DIM. IS .184.
- 6  $\varnothing .020 \text{ (M)}$  FOR KINKED TAILS.
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI.



SUPERSEDED BY 6-146269-5	7	OBSOLETE	3.084	3.000	30	62	2-104350-1
	OBSOLETE	3.984	3.900	39	80	2-104350-0	
		2.984	2.900	29	60	1-104350-9	
	7	2.484	2.400	24	50	1-104350-8	
	OBSOLETE	1.984	1.900	19	40	1-104350-7	
		1.684	1.600	16	34	1-104350-6	
		1.484	1.400	14	30	1-104350-5	
		1.384	1.300	13	28	1-104350-4	
		1.284	1.200	12	26	1-104350-3	
	7	1.184	1.100	11	24	1-104350-2	
	OBSOLETE	1.084	1.000	10	22	1-104350-1	
		.984	.900	9	20	1-104350-0	
		.884	.800	8	18	104350-9	
		.784	.700	7	16	104350-8	
		.684	.600	6	14	104350-7	
		.584	.500	5	12	104350-6	
		.484	.400	4	10	104350-5	
		.384	.300	3	8	104350-4	
		.284	.200	2	6	104350-3	
		.184	.100	1	4	104350-2	
		.084	—	—	2	104350-1	
C		B	A	NO OF POSN	ASSEMBLY PART NUMBER		

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H MOLL 08FEB88	TE Connectivity		
DIMENSIONS: INCHES		CHK R FEIDT 08FEB88			
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APPRO R FEIDT 08FEB88	NAME		
		PRODUCT SPEC	HEADER ASSY, MOD II, BREAKAWAY, DBL ROW, .100X.100 CL., VERT, .025 SQ POSTS, WITH RETENTION FEATURE		
		APPLICATION SPEC	RESTRICTED TO		
MATERIAL HOUSING FLAME RETARDANT THERMOPLASTIC COLOR-BLACK POST: COPPER ALLOY	FINISH POST: .000030 GOLD IN CONTACT AREA .000100-.000250 MATTE TIN LEAD ON SOLDER TAIL, ALL OVER .000250 NICKEL	WEIGHT	SIZE A1	CAGE CODE	DRAWING NO 104350
CUSTOMER DRAWING		SCALE 4:1	SHEET 1 of 1	REV	N

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-104350-0](#)