




REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN APD
A		PER ECO-18-020143	31DEC2018	MY FG
B		REV PER ECO-19-013192	27AUG2019	TS GF
C		REV PER ECO-20-006125	30APR2020	AK GF
-	-	-	-	-



1 LABEL INFORMATION FOR 25 GIG PNS (-1 THRU -10): -1 SHOWN.




- 2. SEE SHEET 2 FOR WIRING SCHEMATIC.
- 3. PRODUCT AND PROCESSING MUST MEET THE REQUIREMENTS OF TE SPECIFICATION TEC-138-702.
- 4. CABLE ASSEMBLY TO BE TESTED FOR OPENS, SHORTS AND PROPER EEPROM PROGRAM.
- 5. EEPROM DOES NOT INCLUDE PAGE SWAPPING.
- 6 TEST IN ACCORDANCE WITH IEEE802.3bj.
- 7 DASH NUMBER 41 THRU 46 CONFORM TO 56G, PAM-4 IEEE802.3CD PERFORMANCE REQUIREMENTS.
- 8 LABEL INFORMATION FOR 56 GIG PNS (-41 THRU -46): -41 SHOWN.




STANDARD	GAGE	"L" mm	PART NO	
7	26	3000 +80/-0	4-2333842-6	
	26	2500 +80/-0	4-2333842-5	
	26	2000 +80/-0	4-2333842-4	
	26	1500 +80/-0	4-2333842-3	
	26	1000 +50/-0	4-2333842-2	
	26	500 +50/-0	4-2333842-1	
	6	26	5000 +80/-0	1-2333842-0
		26	4500 +80/-0	2333842-9
		26	4000 +80/-0	2333842-8
		26	3500 +80/-0	2333842-7
26		3000 +80/-0	2333842-6	
26		2500 +80/-0	2333842-5	
26		2000 +80/-0	2333842-4	
26		1500 +80/-0	2333842-3	
26		1000 +50/-0	2333842-2	
26		500 +50/-0	2333842-1	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: M. YI 17APR2018	TE Connectivity
		CHK: G. FRANKLIN 17APR2018	
DIMENSIONS:		APD: G. FRANKLIN 17APR2018	NAME: CABLE ASSEMBLY, DIRECT ATTACH QSFP 26AWG, 25GIG
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC:	
mm	0 PLC ±	APPLICATION SPEC:	SIZE: A1
	1 PLC ±	WEIGHT:	CAGE CODE: 00779
	2 PLC ±	RESTRICTED TO:	DRAWING NO: 2333842
	3 PLC ±		SCALE: 5:1
	4 PLC ±		SHEET: 1 OF 2
	ANGLES ±		REV: C
	FINISH		

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: M. YI 17APR2018	 TE Connectivity
		CHK: G. FRANKLIN 17APR2018	
DIMENSIONS: min		APVD: G. FRANKLIN 17APR2018	NAME: CABLE ASSEMBLY, DIRECT ATTACH QSFP 26AWG, 25GIG
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE: A1
0 PLC ±		APPLICATION SPEC	CAGE CODE: 00779
1 PLC ±			DRAWING NO: 2333842
2 PLC ±			RESTRICTED TO:
3 PLC ±			RESTRICTED CUSTOMER
4 PLC ±			SCALE: 5:1
ANGLES ±			SHEET 2 OF 2
FINISH			REV C

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2333842-7](#)