

Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

## **\$1255-04** Adhesive

This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements. A Product Safety Information Sheet has been provided for supply chain communication purposes and handling / storage recommendations only.

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name S1255-04 Adhesive

Other Means of Identification None

Product type Article with substance/mixture as integral part

Recommended use and restrictions

Identified Use(s)

Adhesive Tape
Uses Advised Against

None known.

Details of the supplier of the safety data sheet

Address of Supplier Tyco Electronics UK Ltd

Faraday Road, Dorcan, Swindon, Wiltshire, SN3 5HH, United Kingdom

Telephone +44 (0) 1793 52 81 71 (Head Office)
Monday - Friday 08:00 - 17:00 (GMT)

Fax +44 1793 57 2516

E-Mail (competent person) msdsmaterialsuk@te.com

**Emergency telephone number** 

Emergency Phone No. +44 1793 528171 GMT (Monday to Friday 08:00 - 17:00)

Languages spoken English

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classification of the substance or mixture in accordance with paragraph (d) of 29 CFR 1910.1200

This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements. Since this material has no intended release of a substance or mixture and will not result in exposure to a hazardous chemical under normal conditions of use, no hazard classification or Safety Data Sheet is required. A Product Safety Information Sheet has been provided for supply chain communication purposes and

handling / storage recommendations only.

Physical hazards Not applicable. Health hazards Not applicable.

Label elements

Product Name S1255-04 Adhesive Contains: Not applicable.
Hazard Symbol Not applicable.
Signal Word(s) Not applicable.
Hazard Statement(s) Not applicable.
Precautionary Statement(s) Not applicable.

Other hazards Product type: Article with substance/mixture as integral part. Molten material can

cause severe burns.

Mixture: Causes skin irritation. Causes eye irritation. May cause an allergic skin

reaction. Toxic to aquatic life with long lasting effects.

Heating can generate vapours that could cause headaches, nausea, dizziness,

and respiratory irritation if inhaled.

Environmental hazards Toxic to aquatic life with long lasting effects.

Percent of the mixture consists of ingredient(s) of

unknown acute toxicity:

Not applicable.



Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

## S1255-04 Adhesive

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Substances**

Not applicable

Mixtures Substances in preparations / mixtures.

As the product is an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America, no components need to be listed within section 3 of the SDS as the requirements of SDS regulation do not apply. This product does not contain any known "substances of very high concern" (SVHC's).

#### **SECTION 4: FIRST AID MEASURES**



#### Description of first aid measures

Self-protection of the first aider

Inhalation

Skin Contact

Eye Contact

Ingestion

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and

No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact.

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF ON SKIN: Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Molten material can cause severe burns. Do NOT try to peel molten material from the skin. Cool rapidly with water. If on skin immerse in cool water/wrap with wet bandages. Get immediate medical attention.

Remove contact lenses, if present and easy to do. Continue rinsing. Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. If irritation develops and persists, get medical attention.

Give plenty of water to drink. Get medical advice/attention if you feel unwell. None anticipated.

Molten material can cause severe burns.

Mixture: Causes skin irritation. Causes eye irritation. May cause an allergic skin reaction. Heating can generate vapors that could cause headaches, nausea, dizziness, and respiratory irritation if inhaled.

Treat symptomatically. No antidotes known.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### **Extinguishing media**

Suitable Extinguishing media

special treatment needed

Unsuitable extinguishing media

Special hazards arising from the substance or mixture

Advice for fire-fighters

Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions. Water spray, foam, dry powder or CO2.

Do not use water jet. Direct water jet may spread the fire.

May give off noxious and toxic fumes in a fire. Combustion products: Carbon monoxide, Carbon dioxide, Oxides of nitrogen.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Do not allow run-off from fire fighting to enter drains or water courses.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact.

Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into soil must be alerted to the appropriate regulatory body.

Methods and material for containment and cleaning up

Contain spillages. Allow product to cool/solidify and pick up as a solid. Recover the product where possible. Ventilate the area and wash spill site after material pick-up is complete. Wet clean or vacuum up solids. Use appropriate container to avoid environmental contamination.



Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

## **\$1255-04** Adhesive

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Do not eat, drink or

smoke when using this product. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Remove contaminated clothing and wash clothing before

reuse.

Conditions for safe storage, including any

incompatibilities

Storage temperature

Storage life Stable at ambient temperatures.

Storage inc

Incompatible materials

Keep only in original packaging. Keep in a well-ventilated place. Keep container closed.

Store in a cool/low-temperature, well-ventilated (dry) place away from heat and

ignition sources. Recommended: 23 °C

Keep away from oxidising substances. Avoid contact with acids and alkalis.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters
Occupational Exposure Limits

Substance	CAS No.	ppm <sup>1</sup>	mg/m³ ¹	mppcfa	Skin designation	Notes	Source
Carbon Black	1333-86-4	-	3.5	-	-	-	NIOSH
		-	3.5	-	-	-	OSHA (Z-1)
		-	3.0	-	-	TLV Basis: Bronchitis	ACGIH, A3
Silica, amorphous	7631-86-9	-	6.0	-	-	-	NIOSH
		-	-	20.0	-	[(80 g/m3)/%SiO2]	OSHA (Z-3)

#### Source:

OSHA Permissible Exposure Limit (PEL): Occupational Safety and Health Standards, 1910.1000 TABLE Z-1; 1910.1000 TABLE Z-3

NIOSH: National Institute for Occupational Safety and Health (NIOSH) Recommended exposure limits (RELs)

ACGIH: American Conference of Governmental Industrial Hygienists - Threshold limit values (TLV) 2017

#### Note:

1: The PELs, RELs and TLVs are 8-hour TWAs (time-weighted average)

<sup>a</sup> Millions of particles per cubic foot of air

A3: Confirmed animal carcinogen with unknown relevance to humans.

Biological limit value Not established.

**Exposure controls** 

Appropriate engineering controls

Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Keep away from fire,

sparks and heated surfaces.

Personal protection equipment

Use personal protective equipment as required. Take care for general good

hygiene and housekeeping. Avoid inhalation of vapours that may be evolved at

elevated temperatures.

Eye/ face protection

Wear eye protection with side protection (Recommended / Similar with: EN166). Eyewash bottles should be available.



Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

## **\$1255-04** Adhesive

Skin protection (Hand protection/ Other)



#### Hand protection

Insulating gloves; Recommended / Similar with: EN 407 (heat). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

**Body protection** Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection is not necessary if room is well ventilated. In case of inadequate ventilation wear respiratory protection. Recommended: A self-contained breathing apparatus may be appropriate.

Respiratory protection



#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Tape Odour Odourless

Odour threshold Not applicable (Article) pH Not applicable (Article) Melting point/freezing point Not determined Initial boiling point and boiling range Not applicable (Article Flash point Not determined Evaporation rate Not applicable (Article)

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapour pressure

Vapour density

Not determined

Not applicable (Article)

Not applicable (Article)

Not applicable (Article)

Relative density 1.2

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Viscosity (mPa. s)

Not applicable (Article)

Not applicable (Article)

Not applicable (Article)

Not applicable (Article)

Explosive properties Not explosive Oxidising properties Not oxidising

Other information

Density 1280 kg/m³
Explosive properties Not explosive
Oxidising properties Not oxidising

#### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity** Stable under normal conditions. **Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions Hazardous polymerisation will not occur.

**Conditions to avoid**Avoid prolonged storage at elevated temperature.

Incompatible materialsKeep away from oxidising substances. Avoid contact with acids and alkalis.Hazardous decomposition product(s)Combustion products: Carbon monoxide, Carbon dioxide, Oxides of nitrogen.

Decomposition products may include toxic and irritant fumes.



Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

## **\$1255-04** Adhesive

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects

This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements.

**Acute toxicity - Ingestion** Based upon the available data, the classification criteria are not met. Acute toxicity - Inhalation Based upon the available data, the classification criteria are not met. Acute toxicity - Skin Contact Based upon the available data, the classification criteria are not met. Skin corrosion/irritation Based upon the available data, the classification criteria are not met. Serious eye damage/irritation Based upon the available data, the classification criteria are not met. Respiratory or skin sensitization Based upon the available data, the classification criteria are not met. Germ cell mutagenicity Based upon the available data, the classification criteria are not met. Carcinogenicity Based upon the available data, the classification criteria are not met. Reproductive toxicity Based upon the available data, the classification criteria are not met. STOT - single exposure Based upon the available data, the classification criteria are not met. STOT - repeated exposure Based upon the available data, the classification criteria are not met. Aspiration hazard Based upon the available data, the classification criteria are not met.

Information on likely routes of exposure

InhalationUnlikely – accidental exposureIngestionUnlikely – accidental exposureSkin ContactPossible – accidental exposureEye ContactUnlikely – accidental exposure

Early onset symptoms related to exposure Product type: Article with substance/mixture as integral part. Molten material can

cause severe burns.

Mixture: Causes skin irritation. Causes eye irritation. May cause an allergic skin

reaction.

Not applicable.

Delayed health effects from exposure

Other information

NTP Report on Carcinogens

IARC Monographs

OSHA Designated Carcinogen

Not applicable (Article)

#### **SECTION 12: ECOLOGICAL INFORMATION**

This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements.

**Ecotoxicity** Contains environmentally dangerous component(s) which cannot be released in

Persistence and degradability

Bioaccumulative potential

Mobility in soil

normal conditions of use.

No information available.

Not applicable (Article)

Not applicable (Article)

Results of PBT and VPVB assessment

None of the substances in this product fulfil the criteria for being regarded as a

PBT or vPvB substance.

Other adverse effects No information available



Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

## **\$1255-04** Adhesive

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Dispose of this material and its container as hazardous waste. Send after pretreatment to a appropriate hazardous waste incinerator facility according to legislation. Dispose of contents in accordance with local, state or national legislation. Dispose of wastes in an approved waste disposal facility. Recover or recycle if possible.

Δir

(ICAO/IATA)

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Sea transport

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

(IMDG)

#### **SECTION 14: TRANSPORT INFORMATION**

Road/Rail (ADR/RID) **UN number** Not applicable. UN proper shipping name Not applicable. Transport hazard class(es) Not applicable. Hazard Identification Number Not applicable. Classification code Not applicable. Packing group Not applicable. **Environmental hazards** Not applicable. Special precautions for user Not applicable. Special Provisions Not applicable. Limited Quantities Not applicable. **Excepted Quantities** Not applicable.

Transport in bulk according to Annex II of MARPOL

73/78 and the IBC Code

Not applicable.

Additional Information None known

#### **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

**US Federal Regulations** 

TSCA Inventory

Not applicable.

TSCA Inventory Notification (Active-Inactive) Rule

Not applicable.

TSCA Chemical Data Reporting (CDR) Rule

Not applicable.

**US State Regulations** 

Proposition 65 (California) Not applicable.

**EU** regulations

Volatile Organic Compound Content (%): 0.0%



Version: 24-AUG-2018 Revision date: 24-August-2018 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

## **\$1255-04** Adhesive

#### **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: Not applicable – V1.0

Version 24-AUG-2018
Revision Date 24-August-2018
Date Previous Issue: Not Applicable

#### References:

Existing Safety Data Sheet (SDS).

**Hazard classification:** This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements.

#### **LEGEND**

ADR/RID ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road / RID: Regulations

concerning the international railway transport of dangerous goods

CAS CAS: Chemical Abstracts Service

EU European Union

IATA IATA: International Air Transport Association

ICAO/IATA ICAO: International Civil Aviation Organization / IATA: International Air Transport Association

IMDG IMDG: International Maritime Dangerous Goods
PBT Persistent, Bioaccumulative and Toxic

UN United Nations

vPvB vPvT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Tyco Electronics UK Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Tyco Electronics UK Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: