TE Internal #: 2291362-3

Board-to-Board / Wire-to-Board, Shielded, Horizontal, 4 Position, Board Mount, C Code, 2 mm [.07 in] Centerline, Signal, Data


Connectivity Headers

View on TE.com >



Connectors > Automotive Connectors > Data Connectivity Systems > Data Connectivity Headers









-40 - 105 °C[-40 - 221 °F]

Yes



Shielded: Yes

PCB Mount Orientation: Horizontal

Number of Positions: 4

Connector & Keying Code: C

Mating Pin Diameter: .6 mm [.02 in]

Operating Temperature Range

Operation/Application

Shielded

Features

Configuration Features

PCB Mount Orientation	Horizontal
Number of Positions	4
Body Features	
Connector & Keying Code	С
Contact Features	
Mating Pin Diameter	.6 mm[.02 in]
Contact Current Rating (Max)	2.5 A
Housing Features	
Centerline (Pitch)	2 mm[.07 in]
Usage Conditions	
Operating Temperature (Max)	105 °C[221 °F]



Circuit Application Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUN 2016 (169) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Pin-in-Paste capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought





TE Part #2291362-1 4POS,PIN DIA 0.6,HEADER ASSY, CODE A





SLDR





TE Part #2339800-1

MATENET 2X3 HEADER, 90DEG,

CODE A



TE Part #2325130-4 0.50,HDR ASSY,90DEG,COD D TE Part #2325130-3 0.50,HDR ASSY,90DEG,COD C



Documents

Product Drawings

4POS,PIN DIA 0.6,HEADER ASSY,CODE C

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2291362-3_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2291362-3_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2291362-3_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

2291362-3