202A142-3/86-0 - ACTIVE


RAYCHEM

TE Internal #: 595431-000 Heat Shrink Boots, Straight, Size 202, 3, 10, Adhesive Precoat Adhesive Requirement, -55 – 135 °C [-67 – 275 °F], Occasional Fluid Exposure, 86

View on TE.com >



Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots > Heat Shrink Boots: Non Lipped, Straight



Body Orientation: Straight

Molded Part Shape Code: 202

Lipped: No

Material Code: 3

Material Systems Code: 10

All Heat Shrink Boots: Non Lipped, Straight (138)

Features

Configuration Features

Lipped

No

Adhesive Requirement

Adhesive Precoat

Body Features

Primary Product Material	Semi-Rigid Modified Polyolefin
Material Code	3
Material Systems Code	10
Housing Features	
Body Orientation	Straight
Dimensions	
Compatible Cable Diameter (Max)	10 mm, 11 mm, 12 mm, 14 mm, 8 mm, 9 mm[.314 in][.35 in][.39 in][.43 in][.47 in][.55 in]
Compatible Cable Diameter Range	7.4 – 25.4 mm[.291 – 1 in]
Usage Conditions	
Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]
Resistance Protection	Occasional Fluid Exposure
Industry Standards	

C For support call+1 800 522 6752

202A142-3/86-0

Heat Shrink Boots, Straight, Size 202, 3, 10, Adhesive Precoat Adhesive Requirement, -55 – 135 °C [-67 – 275 °F], Occasional Fluid Exposure, 86



Compatible With Approved Standards Products	BS-G-198-5-DA, DEF Std 59-97 Issue 3 Type DA, SAE AS I 81765/1, Type I, UL 224, File E85381
Other	
Molded Part Shape Code	202
Adhesive Code	86
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought

202A142-3/86-0

Heat Shrink Boots, Straight, Size 202, 3, 10, Adhesive Precoat Adhesive Requirement, -55 – 135 °C [-67 – 275 °F], Occasional Fluid Exposure, 86







TE Part #623028-000 D-133-06



TE Part #YDIV43E21-41PNC003 RECP ASSY

Documents

Datasheets & Catalog Pages

1654025_Sec4_-3

English

Raychem Molded Parts Visual Guide

English

Product Specifications Product Specification

English

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

202A142-3/86-0