
202K142-25-01/225-0 <

RAYCHEM

TE Internal #: 675477-000 Heat Shrink Boots, Straight, Size 202, Lipped, 25, 25, Adhesive Precoat Adhesive Requirement, -75 – 150 °C [-103 – 302 °F] View on TE.com >

E TE connectivity

Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots > Bulbous Heat Shrink Boots: Lipped, Straight



Body Orientation: Straight

Molded Part Shape Code: 202

Lipped: Yes

Material Code: 25

Material Systems Code: 25

All Bulbous Heat Shrink Boots: Lipped, Straight (370)

Features

Configuration Features

Lipped

Yes

Adhesive Requirement

Adhesive Precoat

Body Features

Primary Product Material	Fluid Resistant Modified Elastomer
Material Code	25
Material Systems Code	25
Housing Features	
Body Orientation	Straight
Dimensions	
Compatible Cable Diameter (Max)	10 mm, 11 mm, 12 mm, 14 mm, 8 mm, 9 mm[.314 in][.35 in][.39 in][.43 in][.47 in][.55 in]
Compatible Cable Diameter Range	7.1 – 16 mm[7.1 – 17 in]
Usage Conditions	
Operating Temperature Range	-75 – 150 °C[-103 – 302 °F]
Resistance Protection	Long-Term Fluid Exposure at High Temperatures
Industry Standards	

202K142-25-01/225-0

Heat Shrink Boots, Straight, Size 202, Lipped, 25, 25, Adhesive Precoat Adhesive Requirement, -75 – 150 °C [-103 – 302 °F]



Compatible With Approved Standards Products	BS-G-198-5-DE, DEF Std 59-97 Issue 3 Type DE, IEC 62329-3-102, MIS-34867, VG95343 Part 18
Other	
Molded Part Shape Code	202
Adhesive Code	225
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

ler No 32, 2016	No Restricted Materials Above Threshold
907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
	Out of Scope - excluded from Halogen requirements

Solder Process Capability

Halogen Content

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought

202K142-25-01/225-0

Heat Shrink Boots, Straight, Size 202, Lipped, 25, 25, Adhesive Precoat Adhesive Requirement, -75 – 150 °C [-103 – 302 °F]





Documents

Product Drawings 202K142-25-01/225-0

English

Datasheets & Catalog Pages 1654025_Sec4_-25 English Raychem Molded Parts Visual Guide English Solutions for Defense Applications Certified to VG Standards English

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

202K142-25-01/225-0