


LOC		DIST		P LTR		REVISIONS	
H		-		5		DESCRIPTION	
				Holes tolerance made identical.		DATE	
						17MAR2011	
						DWN	
						PP	
						APVD	
						OL	

NOT the LATEST
 OBSOLETE



PRELIMINARY PART
NOT RELEASED FOR PRODUCTION
CONTACT ENGINEERING FOR LAST
REVISION BEFORE USING THIS DRAWING
 Engineer: N. Jongens

- NOTES:
1. MATERIAL: ALUMINIUM;
 2. FINISHING: BLACK ANODIZED;
 3. LENGTH: SEE TABLE.

PARTNUMBER:	LENGTH:	SCREW TO BE USED:
2154171-1	200	M3, SELF THREADING
2154171-2	160	M3, SELF THREADING
2154171-3	75	M3, SELF THREADING

DWN P.Poorter		11JAN2011		MATERIAL		NOTES		FINISH		notes	
CHK N. Jongens		11JAN2011								 TE Connectivity	
APVD O.Leijnse		11JAN2011									
PRODUCT SPEC				NAME		HEAT SINK					
APPLICATION SPEC				SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO	
				A4		00779		G=2154171		-	
WEIGHT		-		SCALE		1:1		SHEET		OF	
CUSTOMER DRAWING										REV	
										5	

DIMENSIONS:	
mm	
TOLERANCES UNLESS OTHERWISE SPECIFIED:	
0 PLC	± 0.3
1 PLC	± 0.2
2 PLC	± 0.05
3 PLC	\pm
4 PLC	\pm
ANGLES	± 1



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2154171-1](#)