


## INLAY CC-M UNIVERSAL

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)



### General ordering data

Order No.	<a href="#">1341120000</a>
Type	INLAY CC-M UNIVERSAL
GTIN (EAN)	4050118145458
Qty.	1 pc(s).

Creation date January 23, 2022 3:37:15 PM CET

Catalogue status 14.01.2022 / We reserve the right to make technical changes.

## INLAY CC-M UNIVERSAL

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Technical data

### Dimensions and weights

Depth	120 mm	Depth (inches)	4.724 inch
Height	8 mm	Height (inches)	0.315 inch
Width	76 mm	Width (inches)	2.992 inch
Net weight	65 g		

### General data

Version	Holder for 1 sign in any of 8 different sizes	Width	76 mm
---------	-----------------------------------------------	-------	-------

### Classifications

ETIM 6.0	EC001675	ETIM 7.0	EC001675
ETIM 8.0	EC001675	ECLASS 9.0	19-14-92-90
ECLASS 9.1	19-14-92-90	ECLASS 10.0	19-14-92-90
ECLASS 11.0	19-14-90-90		

### Approvals

ROHS	Conform
------	---------

### Downloads


Catalogues	<a href="#">Catalogues in PDF-format</a>
------------	------------------------------------------

**INLAY CC-M UNIVERSAL**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**



## INLAY CC-M UNIVERSAL

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

## With hole



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

## General ordering data

Type	CC-M 15/60 2X3 ST	Version
Order No.	<a href="#">1327890000</a>	MetalliCard, Device markers, 15 x 60 mm, silver
GTIN (EAN)	4050118132731	
Qty.	200 pc(s).	
Type	CC-M 15/60 2X3 AL	Version
Order No.	<a href="#">1327880000</a>	MetalliCard, Device markers, 15 x 60 mm, silver
GTIN (EAN)	4050118132724	
Qty.	200 pc(s).	

**INLAY CC-M UNIVERSAL**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Accessories**

**Standard**



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

**General ordering data**

Type	CC-M 30/60 AL	Version
Order No.	<a href="#">1327680000</a>	MetalliCard, Device markers, 30 x 60 mm, silver
GTIN (EAN)	4050118132564	
Qty.	100 pc(s).	
Type	CC-M 30/60 ST	Version
Order No.	<a href="#">1327690000</a>	MetalliCard, Device markers, 30 x 60 mm, silver
GTIN (EAN)	4050118132571	
Qty.	100 pc(s).	

**INLAY CC-M UNIVERSAL**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Accessories**

**Standard**



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

**General ordering data**

Type	CC-M 15/45 ST	Version
Order No.	<a href="#">1327740000</a>	MetalliCard, Device markers, 15 x 45 mm, silver
GTIN (EAN)	4050118132618	
Qty.	200 pc(s).	
Type	CC-M 15/45 AL	Version
Order No.	<a href="#">1327730000</a>	MetalliCard, Device markers, 15 x 45 mm, silver
GTIN (EAN)	4050118132601	
Qty.	200 pc(s).	

## INLAY CC-M UNIVERSAL

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

### With hole



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

### General ordering data

Type	CC-M 30/60 2X3 AL	Version
Order No.	<a href="#">1327850000</a>	MetalliCard, Device markers, 30 x 60 mm, silver
GTIN (EAN)	4050118132700	
Qty.	100 pc(s).	
Type	CC-M 30/60 2X3 ST	Version
Order No.	<a href="#">1327870000</a>	MetalliCard, Device markers, 30 x 60 mm, silver
GTIN (EAN)	4050118132717	
Qty.	100 pc(s).	

## INLAY CC-M UNIVERSAL

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

## With hole



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

## General ordering data

Type	CC-M DIA 30 AL	Version
Order No.	<a href="#">1327750000</a>	MetalliCard, Device markers, silver
GTIN (EAN)	4050118132625	
Qty.	200 pc(s).	
Type	CC-M DIA 30 ST	Version
Order No.	<a href="#">1327770000</a>	MetalliCard, Device markers, silver
GTIN (EAN)	4050118132632	
Qty.	200 pc(s).	



**INLAY CC-M UNIVERSAL**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Accessories**

**Standard**



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

**General ordering data**

Type	CC-M 85/54 ST	Version
Order No.	<a href="#">1327620000</a>	MetalliCard, Device markers, 54 x 85 mm, silver
GTIN (EAN)	4050118132519	
Qty.	40 pc(s).	
Type	CC-M 85/54 AL	Version
Order No.	<a href="#">1327600000</a>	MetalliCard, Device markers, 54 x 85 mm, silver
GTIN (EAN)	4050118132502	
Qty.	40 pc(s).	

**INLAY CC-M UNIVERSAL**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Accessories**

**With hole**



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

**General ordering data**

Type	CC-M 85/27 2X3 ST	Version	
Order No.	<a href="#">1327840000</a>		MetalliCard, Device markers, 27 x 85 mm, silver
GTIN (EAN)	4050118132694		
Qty.	80 pc(s).		
Type	CC-M 85/27 2X3 AL	Version	
Order No.	<a href="#">1327830000</a>		MetalliCard, Device markers, 27 x 85 mm, silver
GTIN (EAN)	4050118132687		
Qty.	80 pc(s).		

## INLAY CC-M UNIVERSAL

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

## SFX-M 11/60



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

A special punching in the SFX-M allows the use of steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

## General ordering data

Type	SFX-M 11/60-5 AL	Version
Order No.	<a href="#">1422560000</a>	MetalliCard, Conductor and cable markers, 7 - 40 mm, 60 x 11 mm,
GTIN (EAN)	4050118226140	silver
Qty.	50 pc(s).	
Type	SFX-M 11/60-5 ST	Version
Order No.	<a href="#">1422570000</a>	MetalliCard, Conductor and cable markers, 7 - 40 mm, 60 x 11 mm,
GTIN (EAN)	4050118226157	silver
Qty.	50 pc(s).	
Type	SFX-M 11/60 AL	Version
Order No.	<a href="#">1327780000</a>	MetalliCard, Conductor and cable markers, 7 - 40 mm, 60 x 11 mm,
GTIN (EAN)	4050118132649	silver
Qty.	50 pc(s).	
Type	SFX-M 11/60 ST	Version
Order No.	<a href="#">1327790000</a>	MetalliCard, Conductor and cable markers, 7 - 40 mm, 60 x 11 mm,
GTIN (EAN)	4050118132656	silver
Qty.	50 pc(s).	

## INLAY CC-M UNIVERSAL

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

## With hole



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

## General ordering data

Type	CC-M 15/45 2X3 AL	Version
Order No.	<a href="#">1327900000</a>	MetalliCard, Device markers, 15 x 45 mm, silver
GTIN (EAN)	4050118132748	
Qty.	200 pc(s).	
Type	CC-M 15/45 2X3 ST	Version
Order No.	<a href="#">1327920000</a>	MetalliCard, Device markers, 15 x 45 mm, silver
GTIN (EAN)	4050118132755	
Qty.	200 pc(s).	

## INLAY CC-M UNIVERSAL

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

### Standard



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

### General ordering data

Type	CC-M 15/60 AL	Version
Order No.	<a href="#">1327700000</a>	MetalliCard, Device markers, 15 x 60 mm, silver
GTIN (EAN)	4050118132588	
Qty.	200 pc(s).	
Type	CC-M 15/60 ST	Version
Order No.	<a href="#">1327720000</a>	MetalliCard, Device markers, 15 x 60 mm, silver
GTIN (EAN)	4050118132595	
Qty.	200 pc(s).	

## INLAY CC-M UNIVERSAL

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

# Accessories

## Standard



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

## General ordering data

Type	CC-M 85/27 ST	Version
Order No.	<a href="#">1327670000</a>	MetalliCard, Device markers, 27 x 85 mm, silver
GTIN (EAN)	4050118132557	
Qty.	80 pc(s).	
Type	CC-M 85/27 AL	Version
Order No.	<a href="#">1327650000</a>	MetalliCard, Device markers, 27 x 85 mm, silver
GTIN (EAN)	4050118132540	
Qty.	80 pc(s).	

## INLAY CC-M UNIVERSAL

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

### With hole



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

### General ordering data

Type	CC-M 85/54 4X3 ST	Version
Order No.	<a href="#">1327820000</a>	MetalliCard, Device markers, 54 x 85 mm, silver
GTIN (EAN)	4050118132670	
Qty.	40 pc(s).	
Type	CC-M 85/54 4X3 AL	Version
Order No.	<a href="#">1327800000</a>	MetalliCard, Device markers, 54 x 85 mm, silver
GTIN (EAN)	4050118132663	
Qty.	40 pc(s).	

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Weidmuller:](#)

[1341120000](#)