

TMP-B SXX09-XXXXSCXXX

KEYING OPTIONS	
A	LIGHT BROWN
B	RED
C	BLUE
D	GREEN


CONTACT FINISH	
O	GOLD

TERMINATION SIZE	
O	STANDARD


INSERT CODE	
008A	8 POSITION, STD
010A	10 POSITION, STD

HOUSING FINISH	
N	TIN NICKEL

HOUSING MATERIAL	
A	ALUMINUM




KEYING ALIGNMENT INDICATOR  
(BLUE DOT)




ISOMETRIC VIEW  
FOR REFERENCE ONLY  
TMP-B SAN09-010ASC00A SHOWN


COLOR CODED  
KEY INDICATOR




KEYING OPTIONS (VIEW LOOKING AT PLUG FACE)




KEY A  
COLOR: LIGHT BROWN



KEY B  
COLOR: RED




KEY C  
COLOR: BLUE



KEY D  
COLOR: GREEN




- NOTES:
- SEE ESG6092 FOR MATERIAL AND PERFORMANCE SPECIFICATIONS
  - SEE ESG6093 FOR ASSEMBLY INSTRUCTIONS
  - SIZE 22D SOCKET CONTACTS PER M39029/57-354



MATERIAL: SEE NOTES		UNLESS OTHERWISE SPECIFIED, TOLERANCES ARE: Decimals: .XX ± 0.01 Concentricity: Decimals: .XXX ± 0.008 Angles: ± 1° Decimals: .XXXX ± 0.0040 Radius: ± Parts are to be symmetrical about centerline within ± .005 Surfaces to be flat, perpendicular parallel within .004 T.I.R. Dimensions are in inches/DO NOT SCALE PRINT Surface finish to be √ or better		<b>AirBorn</b> Georgetown, Texas 78626		Cage Code 10400	
HEAT TREAT: SEE NOTES		APPLICATION: TRIMATE SERIES		DRAWING STATE: Released		<input checked="" type="checkbox"/> RELEASED This drawing is not authorized for production unless it is released	
Per Spec.: Certification required: NO		REV - INITIAL RELEASE		DR. CC 060923		TITL PLUG, SIZE 9	
FINISH: SEE NOTES		REV - DESCRIPTION		CK. RCS 060923		BREAK AWAY, 1ST	
Per Spec.: Certification required: NO		REL. CC 060923		APPD. RCS 060923		SOCKETS, CRIMP	
MAKE FROM: N/A		THIRD ANGLE PROJECTION		DWG# TMP-B SXX09-XXXXSCXXX		REV. SHEET	
NEXT ASSY: N/A		▶ = CRITICAL CHARACTERISTIC ● = MAJOR CHARACTERISTIC		RCS 060923		1/3	

TMP-B SXX09-XXXXSCXXX

INSERT CODE	
008A	8 POSITION, STD






INSERT ARRANGEMENT 008A  
FIGURES SHOWN ASSEMBLED WITH KEY OPTION A

FORMAT: CERNPRO.FRM A.7

TMP-B SXX09-XXXXSCXXX

INSERT CODE	
010A	10 POSITION, STD



INSERT ARRANGEMENT 010A  
FIGURES SHOWN ASSEMBLED WITH KEY OPTION A

**AirBorn**  
Georgetown, Texas 78626

PLUG, SIZE 9  
BREAK AWAY, IST  
SOCKETS, CRIMP

DRAWING STATE: *Released* ☒ **RELEASED**  
This drawing is not authorized for production unless it is released  
DWG# TMP-BSXX09-XXXXSCXXX REV. - SHEET 3 / 3

SIZE  
C

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[AirBorn:](#)

[TMPBSAN09010ASC00A](#) [TMPBSAN09008ASC00A](#) [TMPBSAN09010ASC00C](#) [TMPBSAN09008ASC00C](#) [TMP-BSAN09-010ASC00A](#) [TMP-BSAN09-008ASC00A](#) [TMP-BSAN09-008ASC00C](#) [TMP-BSAN09-010ASC00C](#)