#### CMKTC825A CMKTC825E

#### SURFACE MOUNT TEMPERATURE COMPENSATED SILICON ZENER DIODE





www.centralsemi.com

# **DESCRIPTION:**

The CENTRAL SEMICONDUCTOR CMKTC825A and CMKTC825E are 6.2 volt, temperature compensated Zener reference diodes. These devices are ideal for applications requiring long term voltage stability over the specified temperature range.

CMKTC825A MARKING CODE: CT25 CMKTC825E MARKING CODE: C25E

<b>MAXIMUM RATINGS:</b> (T <sub>A</sub> =25°C) Power Dissipation		<b>SYMBOL</b> PD	32	25	UNITS mW
Operating and	Storage Junction Temperature	T <sub>J</sub> , T <sub>stg</sub>	-65 to +150		°C
Tolerance			±	5	%
ELECTRICAL SYMBOL VZ	CHARACTERISTICS: (T <sub>A</sub> =25°C un TEST CONDITIONS I <sub>Z</sub> =7.5mA	less otherwise no <b>MIN</b> 5.89	ted) <b>NOM</b> 6.20	<b>MAX</b> 6.51	UNITS V
$z_Z$	I <sub>Z</sub> =7.5mA			20	Ω
$\Delta V_Z^*$	IZ=7.5mA (CMKTC825A)			44	mV
$\Delta V_Z^*$	I <sub>Z</sub> =7.5mA (CMKTC825E)			20	mV


<sup>\*</sup> The maximum allowable voltage change observed at the specified temperatures of -55°C, 0°C, 25°C, 75°C, and 100°C


#### CMKTC825A CMKTC825E

### **SURFACE MOUNT TEMPERATURE COMPENSATED** SILICON ZENER DIODE



#### **SOT-363 CASE - MECHANICAL OUTLINE**






DIMENSIONS								
	INCHES		MILLIMETERS					
SYMBOL	MIN	MAX	MIN	MAX				
Α	0.004	0.010	0.10	0.25				
В	0.005	-	0.12	-				
С	0.000	0.004	0.00	0.10				
D	0.031	0.043	0.80	1.10				
Е	0.071	0.087	1.80	2.20				
F	0.051		1.30					
G	0.026		0.65					
Н	0.075	0.091	1.90	2.30				
J	0.043	0.055	1.10	1.40				
K	0.006	0.012	0.15	0.30				
COT 202 (DEV/, D2)								

SOT-363 (REV: R2)

#### **PIN CONFIGURATION**




# LEAD CODE:

- 1) Anode
- 2) Anode
- 3) NC 4) Cathode
- 5) Cathode
- 6) NC

MARKING CODES: CMKTC825A: CT25 CMKTC825E: C25E

# SUGGESTED MOUNTING PADS

(Dimensions in mm)



R5 (13-January 2010)

#### **OUTSTANDING SUPPORT AND SUPERIOR SERVICES**



#### PRODUCT SUPPORT

Central's operations team provides the highest level of support to insure product is delivered on-time.

- Supply management (Customer portals)
- · Inventory bonding
- · Consolidated shipping options

- · Custom bar coding for shipments
- · Custom product packing

#### **DESIGNER SUPPORT/SERVICES**

Central's applications engineering team is ready to discuss your design challenges. Just ask.

- Free guick ship samples (2<sup>nd</sup> day air)
- Online technical data and parametric search
- SPICE models
- · Custom electrical curves
- · Environmental regulation compliance
- · Customer specific screening
- · Up-screening capabilities

- Special wafer diffusions
- PbSn plating options
- Package details
- Application notes
- · Application and design sample kits
- Custom product and package development

#### REQUESTING PRODUCT PLATING

- 1. If requesting Tin/Lead plated devices, add the suffix "TIN/LEAD" to the part number when ordering (example: 2N2222A TIN/LEAD).
- 2. If requesting Lead (Pb) Free plated devices, add the suffix "PBFREE" to the part number when ordering (example: 2N2222A PBFREE).

#### **CONTACT US**

#### Corporate Headquarters & Customer Support Team

Central Semiconductor Corp. 145 Adams Avenue Hauppauge, NY 11788 USA

Main Tel: (631) 435-1110 Main Fax: (631) 435-1824

Support Team Fax: (631) 435-3388

www.centralsemi.com

Worldwide Field Representatives: www.centralsemi.com/wwreps

**Worldwide Distributors:** 

www.centralsemi.com/wwdistributors

For the latest version of Central Semiconductor's **LIMITATIONS AND DAMAGES DISCLAIMER**, which is part of Central's Standard Terms and Conditions of sale, visit: <a href="https://www.centralsemi.com/terms">www.centralsemi.com/terms</a>

www.centralsemi.com (001)



# Product End of Life Notification

PDN ID:	PDN01028
Notification Date:	6/23/16
Last Buy Date:	12/23/16
Last Shipment Date	6/23/17

Summary: The CMKTC825E temperature compensated Zener diode has been discontinued and is now classified as End of Life (EOL).

Although Central Semiconductor Corp. makes every effort to continue to produce devices that have been proclaimed EOL (End of Life) by various manufacturers, it is an accepted industry practice to discontinue certain devices when customer demand falls below a minimum level of sustainability. Accordingly, the following product(s) have been transitioned to End of Life status as part of Central's Product Management Process. Any replacement product will be noted below. The effective date for placing the last purchase order will be six(6) months from the date of this notice and twelve(12) months from the notice date for final shipments; this may be extended if inventory is available.

Central Part Number	Replacement		
CMKTC825E BK	CMKTC825A BK	Н	
CMKTC825E TR	CMKTC825A TR	Н	

Central would be happy to assist you by providing additional information or technical data to help locate an alternate source if we have no replacement available. Please email your requests to engineering@centralsemi.com.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.

CCC785 REV 002

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Central Semiconductor:

CMKTC825A CMKTC825E TR CMKTC825A TR