Datasheet revision 1.0 www.chipquik.com

ESD SAFE 3/16" (4.76mm) cup on a 1/2" (12.7mm) bent probe, Black Buna-N Static Dissipative Non-Marking

Specifications

Designed for handling very small parts Black Buna-N Static Dissipative Non-Marking ESD SAFE



How to Use

- 1. Select a tip with a rubber vacuum cup that is slightly smaller than the area at which you want to pick-and-place the part from.
- 2. Push the vacuum cup, or vacuum cup and probe tip, snugly onto the end of the vacuum tool (vacuum tool not included, sold separately).
- 3. Make sure that there is no dust on the rubber vacuum cup. Note: if preferred, the rubber cups can be placed directly on the vacuum tool without using the straight or bent probes.
- 4. Depress the button on the side of the vacuum tool, and place the soft rubber vacuum cup squarely onto the pick-and-place part, then release the button. This will create a vacuum that will hold the part firmly. Note: it is normal for the vacuum created to slowly lose its strength over 30-60 seconds, so placing your part within this time is recommended.
- 5. Move the part to where you want to place it, lower it to the board, then squeeze the button again to release the part.

Applications

Pick-and-place of metal, plastic, or any parts having a smooth non-porous top surface area that the rubber vacuum cup can seal against. For larger parts, use a larger vacuum cup.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Chip Quik:

V8903-P-B