

RFA-O5-NF3-W3GGS-028

High-Performance/Top Roof Antenna For 3G/4G applications

Product Specification

Version	Issue date	Changes	Remark
0.1	2014/11/07	Initial Version	
0.2	2017/03/23		
0.3	2019/03/07		

IMPORTANT

This document contains important Information and therefore should not be disclosed to third parties without prior written consent of ORing technology Ltd.

Signature:

Author:	Reviewed by:	Approved by:	Remarks:
Enyi			



1. Introduction 3

- High performance top roof antenna with omnidirectional antenna.
- ◆ Support 3G/4G applications.
- ♦ High Performance / Wide temperature range satisfy most of operating environment.
- Rugged design suitable for railway applications and pass the test of EN50155 Railway standard.
- ◆ GPS + Glonass Active Antenna.

2. Technical specification

Items		Specification	
		2G/3G/4G	
Antenna Type	Band1	Band2	Band3
Frequency (MHz)	890~960	1710~2170	2300~2700
VSWR	≦ 2	≦ 2	≦ 2
Gain (dBi)	1.9	4.5	4.5
Impedance	50	50	50
Polarization	Vertical	Vertical	Vertical
Isolation between ports 1+2	NA	>15dB	>15dB
Connector	N-Type Female x 2		

Items	Specification	
Antenna Type	GPS + Glonass Active Antenna	
F	GPS:1575 (MHz)	
Frequency	Glonass:1602 (MHz)	
VSWR	≦1.5	
Gain (dB)	3 dB (26dB with LNA)	
Impedance	50	
Polarization	RHCP	
Connector	N-Type Female x 1	

Copyright © ORing technology Ltd. All rights are reserved.	Page 2 of 5

3. Mechanical Specification:

◆ Dimensions (mm)
145 x 86 x 115 (Length x width x Height)

Corrosion Low corrosion design

Mounting
 Wall mounting, Pole mounting

4. Environmental Specification

Environmental Conditions Outdoor

◆ Operation temperature(°C) -30° ~ 85°

◆ Storage temperature(°C) -40° ~ 85°

♦ IP rating IP67


◆ Solar radiation DIN 75220

5. Material Specification:

◆ Color Cool Gray 1C◆ Material ASA / aluminum

6. Return Loss and Isolation (S11, S22, S21):


6. Return Loss and Isolation (S11, S22, S21):










Frequency: 850MHz







Frequency: 1.8GHz





Frequency: 2.6GHz





Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

ORing:

RFA-O5-NF3-W3GGS-028