> Electromechanical Counters Impulse Counter CIM46

- > 4-digits Impulse counter with Reset
- > Capacity 9999 impulses
- > Panel mounted
- > Protection IP30
- > Excellent visibility due to the large digit size
- > Long service life



CIM46

Product selection				
Туре	Operating frequency (Hz)	Rated Voltage	Part Number	
CIM46	-	24 V∼	99775413	

General characteristics		
Counting capacity	9999	
Height digits (mm)	4	
Reset to zero	Yes	
Max. count rate	10 impulses/s	
Min. count rate (ms)	50	
Min pause time between 2 pulses (ms)	50	
Max. pulse length (count coil)	Unlimited	
Voltage variation	+10 % → -15 %	
Consumption	3 W	
Mechanical life count function (operations)	Beyond 10 million counts: > 10 x 10 ⁶	
Test voltage according to standard IEC 255-5	500 V	
Protection Housing	IP30	
Degree of terminal protection	IP30	
Environmental protection	Plated components	
Maintenance	None	
Operating position	Any	
Temperature limits use (°C)	$-5 \rightarrow +50$ (Non Freezing)	
Temperature limits stored (°C)	-20 → +65	
Humidity	45-85 %	
Connections / Termination	With 2 - way terminal strip	
Mounting	Rectangular 2 Holes	
Weight (g)	113	
Certifications	CE, UKCA, RoHS compliant	
Approvals	Parts used: UL	

You have a project? Contact us on $\underline{www.crouzet.com}$

Description:

Crouzet Impulse Counters, accurate and durable solutions for pulse measurement needs

Crouzet's electromechanical impulse counters are reliable devices designed for measuring and recording electrical impulses in industrial applications. Crouzet's impulse counters use a combination of mechanical and electrical components to precisely count electrical pulses, offering a reliable solution for various industrial control and monitoring tasks.

For more information about: please visit www.crouzet.com




2 WEBSITE **I** EnteteProduct 04/2024


Dimensions (mm)

Panel Mounted





Panel Cut-out



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Crouzet:

99775413