



Declaration of Conformity

Manufacturer:

CUI Inc. 15575 SW Sequoia Parkway, Suite 100 Portland, Oregon 97224

For the following equipment:

AC-DC Internal Power Supply

CUI Series: TJ-150
Models: See next page

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The object of the declaration described above is in conformity with the relevant Union harmonization legislations and their amendments:

Low Voltage Directive 2014/35/EU
EMC Directive 2014/30/EU
RoHS Directive 2011/65/EU and (EU) 2015/863

References to the relevant harmonized standards used, including the date of the standard, or references to the other technical specifications, including the date of the specification, in relation to which conformity is declared:

Health & Safety EN IEC 62368-1:2020+A11:2020

IEC 62368-1:2018

EMC EN 55032:2015+A11:2020; EN 55035:2017+A11:2020

EN IEC 61000-3-2:2019+A1:2021; EN 61000-3-3:2013+A2:2021

EN 61204-3:2018

EN IEC 61000-6-3:2021; EN IEC 61000-6-4:2019

EN IEC 61000-6-1:2019+CRGD:2019; EN IEC 61000-6-2:2019

RoHS EN IEC 63000:2018

Note: These component level power supplies are intended exclusively for inclusion within other equipment. Protection against electric shock and Electromagnetic Compatibility (EMC) must be checked when the equipment is built-in a completed product or forms a part of a complete system.

An additional delta evaluation of the above-listed equipment concerning the differences between the requirements of the harmonized standard EN 62368-1:2014 (with all applicable corrections) and EN IEC 62368-1:2020, and IEC 62368-1:2018 has been performed and concludes that the safety objectives of the low-voltage targets (2014/35/EU) are met.

Shenzhen, China 06/13/2024

(manufacturer) (place) (date)

Link Lu

Product Compliance Specialist

Portland, Oregon, USA 06/13/2024

(manufacturer) (place) (date)

Editha Vergara

Global Director, Safety, Environmental



MODEL LIST

TJ-150-XX (where XX = 12, 24, 28, 36, 48, 54 denote output voltage)

| Model | Input voltage | Frequency | Input current | Output voltage | | | | |
|-----------|---------------|-----------|---------------|----------------|--|--|--|--|
| | (Vac) | (Hz) | (A) | (Vdc) | | | | |
| TJ-150-12 | 100-240 | 47-63 | 2 | 12 | | | | |
| TJ-150-24 | 100-240 | 47-63 | 2 | 24 | | | | |
| TJ-150-28 | 100-240 | 47-63 | 2 | 28 | | | | |
| TJ-150-36 | 100-240 | 47-63 | 2 | 36 | | | | |
| TJ-150-48 | 100-240 | 47-63 | 2 | 48 | | | | |
| TJ-150-54 | 100-240 | 47-63 | 2 | 54 | | | | |

Model Naming Configuration

| TJ | - | 150 | - | XX |
|----|---|-----|---|----|
| | I | | - | II |

I - Base Number: TJ-150

II - Output Voltage: 12 =12 V; 24 = 24 V; 28 = 28 V; 36 = 36 V; 48 = 48 V; 54 =54 V



REVISION HISTORY

| rev. | description | date |
|------|-----------------|----------|
| 1.0 | initial release | 06/13/24 |

The revision history provided is for informational purposes only and is believed to be accurate.